

Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

District	:	JAN	ΛN	ИU	J
-----------------	---	-----	----	----	---

No. AUJ/Agromet/GKMS/25-26/484 - 87	Bulletin No:14/2025-26	Dated:16-05-2025
Phone:0191-2958213	Website: www.skuast.org	Fax: 0191-2263891

Weather summary of previous 5 days 11th to 15th May, 2025)

Range of Max. Temperature (⁰ C)	37.2 - 40.8
Range of Min. Temperature (⁰ C)	20.4 - 22.4
Range of Relative Humidity (%)	23 - 78
Rainfall (mm)	0.0

Ensembled forecast for next 5 days (0830 hrs 17th to 21st May, 2025)

Date	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction (°)	Cloud Cover (Octa)
17-05-2025	0	40	23	35	20	1	20	1
18-05-2025	0	40	23	35	20	2	25	2
19-05-2025	2	39	24	50	40	2	65	6
20-05-2025	3	38	23	60	50	2	15	5
21-05-2025	0	40	22	40	30	1	35	2

Chances of light rainfall between 18th to 20th May at scattered locations. Sky may remain fair to generally cloudy for next five days. The Maximum Temperature may range from 38°C to 40°C, while the Minimum Temperature may range from 22°C to 24°C. Wind may blow @ 1 to 2 km/h from North Northeast to East North East direction. The morning relative humidity may range from 35% to 60%, while evening relative humidity may range from 20% to 50% during this period.

As per Extended Range Forecast (ERF), Rainfall and Maximum Temperature may remain below normal limits whereas Minimum Temperature may remain moderately below normal limits in J&K Subdivision wef 21-05-2025 to 27-05-2025.

Weather Foregort Posed Agreement Advisoring W.F. 1920, hrs. 17th to 21st May 2025

Weather Forecast Based Agromet Advisories W.E.F 0830 hrs 17th to 21st May, 2025						
Crop	Stage/Cultural	Weather based Agro- advisories				
	Operation					
Rice	Nursery sowing	Farmers may go for nursery sowing of early transplanted rice				
		varieties. (var. IET-1410, K-39, Ratna, PC-19, Jaya) Treat				
		seed with Carbendazim or Bavistin @2gm/Kg before nursery				
		raising. Give irrigation to nursery as per requirement.				
		Incorporate the FYM @ 10-15 tons/ ha at least 15 days				
		earlier to transplanting in the field, where rice is to be				
		transplanted.				
Fallow land	Soil solarization	Deep Plough the land with soil turning plough for soil				
		solarization against insect pests and weed infestation.				
		Incorporate well rotten F.Y.M. 15 days prior to sowing in the				
		fields where Kharif maize and paddy are to be sown in June.				
Pulses		Postpone irrigation due to chances of rainfall.				
Summer pulses	Early vegetative	Farmers may go for hoeing and weeding in crop to conserve				
(moong/mash)		soil moisture and proper aeration of the roots and to keep the				
		weeds under check.				
Green	Germination/ Early	Postpone irrigation due to chances of rainfall.				
manuring	Vegetative	The dose of phosphorus recommended for the rice crop to be				
		taken after Daincha should be applied to daincha crop either				
		through single super phosphate or Di ammonium phosphate.				



Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region
Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and
India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

Vegetables: Cucurbits	Vegetative stage	Apply irrigation as per requirement of crop. Spray chloropyriphos @2 ml/lt. of water during clear weather immediately followed by ash application on wetted leaves in cucurbits for control of red pumpkin beetle. Install 5 pheromone traps per kanal to control fruit fly.
Tomato/brinjal	Fruiting/flowering/ vegetative	Timely harvest the matured fruit in order to avoid spoilage. Monitor tomato crop for leaf curl. Remove virus infected plants. Spray imidacloprid @ 0.5ml/lt of water during clear weather to check further spread of disease by whitefly.
Okra	Vegetative	If yellow leaves (YVMV) are observed, uproot and bury deep in soil and wash hands after that.
Turmeric/ ginger	Early Vegetative	Keep the field free of weeds.
Floriculture Summer annuals	Nursery Seed	Apply irrigation as per requirement of crop. Sowing of nursery of Summer annuals is recommended.
Chrysanthemum	Mother stock	Chrysanthemum propagation through root cutting is recommended.
Rose	Flowering	Hoeing and weeding is recommended to conserve the soil moisture.
Fodder Summer mixe3d fodder	Vegetative	Apply irrigation as per requirement of crop. Top dressing of nitrogenous fertilizer in summer fodder (maize+cowpea+charri) and bajra is recommended after rainfall, if not applied yet.
Mushroom Milky mushroom	Spawn run	Maintain temperature of cropping room between 25°C - 30°C for proper spawn run. Maintain 90-95% humidity in cropping rooms. Spray chlorothalonil @ 0.5% and deltamethrin @ 0.01% to control competitor fungi. Farmers interested in growing milky mushroom may book the spawn of milky mushroom as the season will continue up to end of July.
Horticulture Guava /Mango/ Citrus	Young/Bearing	Apply irrigation as per requirement of crop in young plants. Remove water suckers. Spray 2,4-D @ 10ppm during clear weather against citrus fruit drop in citrus.
Sericulture: Mulberry	Tree plantation	Mulberry Farm/individual mulberry trees should be irrigated periodically at an interval of 15-20 days.
Bivoltine cocoon crop	Disinfection of rearing halls/appliances	Rigorous disinfection of used appliances in the recently completed spring rearing should be adopted with 2-14 per cent formaline solution.



Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

Apiculture		Protect colonies from high temperature by shifting to shady					
		areas or migrate to cooler places or cover them with wet					
		gunny bags. To control mite, dust sulphur on top bars @					
		1g/frame /oxalic acid treatment @ 3.5% / litre water.					
Fisheries	Fry/ yearlings	Farmers who have stocked fish livestock in their ponds are					
Carp farming		advised to maintain proper water level in their fish ponds.					
Poultry		Adequate clean drinking water should be available all the					
·		time.					
		Proper hygiene should be maintained.					
		Give vaccination against infectious bursal dermatitis IBD &					
		Gumbroo at 7 th & 14 th day after birth.					
Live stock		Due to chances of increase in temperature and hence, for					
Dairy animals/		preventing animals from heat stress during hot weather					
Sheep & Goat		conditions following points may be kept in mind:					
		1. Provide an adequate amount of fresh cool and clean					
		drinking water					
		2. Plant shady trees around the sheds.					
		3. Provide water baths 3-4 times in a day.					
		4. Install fans and desert coolers for high-yielding animals.					
		5. Sprinkling of water in sheds to reduce heat stress.					
		6. Good quality green leguminous and non-leguminous					
		fodders. Maize and bajra. Urea treatment of dry					
		straw/fodder.					
		7. Increase protein content in animal ration by 2%.					
		8. Mineral mixture should be supplemented in the diet.					

Ensembled Block Level Forecast for next 5 days (0830 hrs 17^{th} to 21^{st} May, 2025) for district Jammu .

Chances of light rainfall at scattered locations in next 5 days Bhalwal Barahmana, Khaira Balli, Maira Mandrian & Mandal Phlain blocks.

Rest of the blocks may experience light rainfall at scattered on 17th, 20th & 21st May.

DATE	BLOCK NAME	Rain mm	Temp. Max °C	Temp. Min °C	RH Morn. (%)	RH Even. (%)	Wind Speed (kmph)	Wind Direction (deg)	Cloud Cover (octa)
17-05-2025	Akhnoor	0.1	41.1	23.5	33.7	19.8	12.4	35.5	0
18-05-2025	Akhnoor	0	41.9	24.2	33	19	11.1	35.7	0
19-05-2025	Akhnoor	0	42.9	25	34.4	20.2	10.2	39.3	2
20-05-2025	Akhnoor	1.3	41.6	25.8	41.3	22.7	10	40.6	3
21-05-2025	Akhnoor	0.1	41.9	25.8	40.6	26.5	10.5	38	1
17-05-2025	Arnia	0.1	42.8	25.9	32.8	19.4	7.9	50.5	0
18-05-2025	Arnia	0	43.5	26.1	31.6	18.8	4.7	67.4	0
19-05-2025	Arnia	0	44.4	27.7	29.6	19.2	6.9	96	1
20-05-2025	Arnia	2.5	43.6	27.2	44.1	22.2	6.5	70.6	4
21-05-2025	Arnia	0.2	42.9	27.6	37	26.6	8	84.8	1
17-05-2025	Bhalwal	0.1	40.7	23.2	34.2	20.2	13.1	37.2	0
18-05-2025	Bhalwal	0	41.5	23.9	33.2	19.6	12.1	36.5	0



Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

19-05-2025	DI I I	0	42.5	24.7	34.7	20.2	11.2	39.8	2
	Bhalwal	1.6	41.2	25.5	41.6	22.9	10.7	42.2	3
20-05-2025	Bhalwal Bhalwal	0.1	41.4	25.5	41.1	27	11.2	39.8	1
	Bhalwal-								
17-05-2025	Brahmana Bhalwal-	0.1	41.4	23.7	32.6	19.9	8.6	22.2	0
18-05-2025	Brahmana	0	42.2	24.2	31.6	19	7.2	26.5	0
19-05-2025	Bhalwal- Brahmana	0.1	43.1	25.4	32.7	20	6.9	38.6	2
20-05-2025	Bhalwal- Brahmana	1.2	41.8	25.8	41.8	22.7	6.4	42.7	4
21-05-2025	Bhalwal- Brahmana	0.1	42.1	25.8	39.1	25.8	7.3	32.9	1
17-05-2025	Bishnah	0.1	42.8	25.6	33.2	19.4	10.2	45	0
18-05-2025	Bishnah	0	43.4	26	31.9	18.7	7.9	46.8	0
19-05-2025	Bishnah	0	44.4	26.9	33.3	19	6.8	64.8	1
20-05-2025	Bishnah	1	43.5	27.9	37.5	21.9	7.8	56.3	4
21-05-2025	Bishnah	0.2	43.1	27.6	37.2	26.1	7.9	65.8	1
17-05-2025	Chowki-Choura	0.1	41.1	23.5	33.8	20.1	12.4	35.5	0
18-05-2025	Chowki-Choura	0	41.9	24.2	33	19.2	11.1	35.7	0
19-05-2025	Chowki-Choura	0	42.9	25	34.4	20	10.2	39.3	2
20-05-2025	Chowki-Choura	1.3	41.6	25.8	41.3	22.7	10	40.6	3
21-05-2025	Chowki-Choura	0.1	41.9	25.8	40.7	26.6	10.5	38	1
17-05-2025	Dansal	0.3	38	21.2	37.8	20.8	16.3	43.2	1
18-05-2025	Dansal	0	38.9	21.8	36.1	20.3	15.3	43.1	0
19-05-2025	Dansal	0	39.8	22.9	37.7	20.7	14.5	46	2
20-05-2025	Dansal	1	38.8	23.9	43.4	23.6	13.7	45	4
21-05-2025	Dansal	0.2	39	24.2	43.4	28.1	13.2	42.8	1
17-05-2025	Kharah-Balli	0.1	41.5	23.9	32.6	19.8	7.9	24.2	0
18-05-2025	Kharah-Balli	0	42.4	24.2	31.7	19.1	6.4	26.5	0
19-05-2025	Kharah-Balli	0.2	43.2	25.5	32.7	20.1	5.9	37.5	2
20-05-2025	Kharah-Balli	1.2	41.9	25.9	42.1	22.8	6.1	45	4
21-05-2025	Kharah-Balli	0.1	42.1	25.9	39	25.8	6.5	33.7	1
17-05-2025	Khour	0.1	42.8	25.6	33.3	19.4	10.2	45	0
18-05-2025	Khour	0	43.4	26	31.9	18.8	7.4	47	0
19-05-2025	Khour	0	44.4	26.9	33.3	19	6.4	63.4	1
20-05-2025	Khour	1	43.4	27.9	37.5	22	7.3	57.1	4
21-05-2025	Khour	0.2	43.1	27.6	37	26	7.3	69.8	1
17-05-2025	Maira-Mandrian	0.1	42.8	25.4	32.2	19	9.2	38.6	0
18-05-2025	Maira-Mandrian	0	43.5	25.9	31.8	18.3	6.6	45	0
19-05-2025	Maira-Mandrian	0.1	44.4	26.9	31.5	19.4	5.6	63.4	2
20-05-2025	Maira-Mandrian	0.9	43.2	27.7	38	22	7.3	57.1	4
21-05-2025	Maira-Mandrian	0.2	43.2	26.9	38.6	25.2	6.8	58	0
17-05-2025	Mandal-Phallain	0.1	42.9	25.5	33.5	19.3	10.2	45	0
18-05-2025	Mandal-Phallain	0	43.5	25.9	32.1	18.8	7.9	46.8	0
19-05-2025	Mandal-Phallain	0.1	44.5	26.8	33.4	19.3	6.3	66.4	1
20-05-2025	Mandal-Phallain	1.2	43.5	27.9	37.4	22	7.5	54.8	4
21-05-2025	Mandal-Phallain	0.2	43.2	27.5	37.5	26	7.1	66	1



Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

17-05-2025	Marh	0.1	42.2	25.2	33.1	19.4	11	41	0
18-05-2025	Marh	0	43	25.6	31.7	18.8	9.2	45	0
19-05-2025	Marh	0	44	26.5	33.3	19.3	7.8	56.3	1
20-05-2025	Marh	1.3	43.1	27.5	37.5	22	8.5	53.6	4
21-05-2025	Marh	0.1	42.6	27.1	37.7	26.2	8.6	57	1
17-05-2025	Mathwar	0.2	42.8	25.6	33.2	19.3	10.4	43.6	0
18-05-2025	Mathwar	0	43.4	26	32	18.7	7.9	43.1	0
19-05-2025	Mathwar	0	44.4	26.9	33.3	19.2	6.6	60.6	1
20-05-2025	Mathwar	1.1	43.5	27.9	37.2	22	7.8	56.3	4
21-05-2025	Mathwar	0.2	43.1	27.7	37.3	26.1	7.6	64.6	1
17-05-2025	Miran-Sahib	0.2	42.8	25.6	33	19.3	10.2	45	0
18-05-2025	Miran-Sahib	0	43.4	26	31.8	18.7	8.1	45	0
19-05-2025	Miran-Sahib	0	44.4	26.9	33.2	19.1	6.8	64.8	1
20-05-2025	Miran-Sahib	1	43.5	27.9	37.2	21.9	7.8	56.3	4
21-05-2025	Miran-Sahib	0.1	43.1	27.7	37	26	7.6	64.6	1
17-05-2025	Nagrota	0.1	42	24.8	33.6	19.5	11.5	43.7	0
18-05-2025	Nagrota	0	42.7	25.2	32.1	18.9	9.9	43.5	0
19-05-2025	Nagrota	0	43.6	26.1	33.7	19.5	9	53.1	1
20-05-2025	Nagrota	1.2	42.6	27.1	37.8	22.1	8.8	55	4
21-05-2025	Nagrota	0.2	42.1	26.8	38.4	26.5	9.1	56.3	1
17-05-2025	Pragwal	0.1	42.8	25.4	32.1	19.1	9.5	37.3	0
18-05-2025	Pragwal	0	43.4	25.8	31.8	18.3	7.1	40.9	0
19-05-2025	Pragwal	0.1	44.4	26.8	31.5	19.4	6.1	61.9	2
20-05-2025	Pragwal	0.8	43.4	27.6	37.9	22	7.3	57.1	4
21-05-2025	Pragwal	0.1	43.1	26.8	38.5	25.2	7.3	57.1	0
17-05-2025	R.S.Pura	0.2	42.8	25.6	33.2	19.3	10.2	45	0
18-05-2025	R.S.Pura	0	43.4	26	32	18.7	8.1	45	0
19-05-2025	R.S.Pura	0	44.4	26.9	33.3	19.2	6.8	64.8	1
20-05-2025	R.S.Pura	1.1	43.5	27.9	37.2	22	7.8	56.3	4
21-05-2025	R.S.Pura	0.2	43.1	27.7	37.3	26.1	7.6	64.6	1
17-05-2025	Samwan	0.2	42.8	25.6	33.2	19.3	10.4	43.6	0
18-05-2025	Samwan	0	43.4	26	32	18.7	7.9	43.1	0
19-05-2025	Samwan	0	44.4	26.9	33.3	19.2	6.6	60.6	1
20-05-2025	Samwan	1.1	43.5	27.9	37.2	22	7.8	56.3	4
21-05-2025	Samwan	0.2	43.1	27.7	37.3	26.1	7.6	64.6	1
17-05-2025	Satwari	0.2	42.8	25.6	33.2	19.3	10.2	45	0
18-05-2025	Satwari	0	43.4	26	32	18.7	8.1	45	0
19-05-2025	Satwari	0	44.4	26.9	33.3	19.2	6.8	64.8	1
20-05-2025	Satwari	1.1	43.5	27.9	37.2	22	7.8	56.3	4
21-05-2025	Satwari	0.2	43.1	27.7	37.3	26.1	7.6	64.6	1
17-05-2025	Suchetgarh	0.2	42.8	25.6	33.2	19.3	10.2	45	0
18-05-2025	Suchetgarh	0	43.4 44.4	26 26.9	32	18.7	8.1	45	
19-05-2025	Suchetgarh			26.9	33.3	19.2 22	6.8	64.8	4
20-05-2025	Suchetgarh	1.1	43.5	27.9	37.2	22	7.8	56.3	4



Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

21	-05-2025	Suchetgarh	0.2	43.1	27.7	37.3	26.1	7.6	64.6	1	

Dr Mahender Singh I/C Agrometeorology

Dr Veena Sharma Technical Officer