

GraminKrishiMausamSewa

Agromet Advisory Bulletin for Rajouri District

Sher-e-Kashmir University of Agricultural Sciences and Technology – Jammu RARS, Tandwal, Rajouri – 185131 (Union Territory of Jammu & Kashmir)



Agromet Advisory Bulletin

(Issued jointly by Regional Agricultural Research Station- Rajouri, SKUAST-Jammu and India Meteorological Department)

Bulletin No: - 14/2025-26/Friday

Date: 16th May, 2025

No. AUJ/RARS/Raj/Agromet/2025-26/330

Significant past weather for the preceding 5 days (11th to 15th May, 2025)

Rainfall (mm)	28.0
Maximum Temperature (°C)	32.0 - 36.4
Minimum Temperature (°C)	13.0 – 15.5
Relative Humidity (%)	24 - 88

Medium range weather forecast for Rajouri (17th to 21st May, 2025)

Weather Parameters	17/05/25	18/05/25	19/05/25	20/05/25	21/05/25
Rainfall (mm)	0	0	2	2	0
Maximum Temperature (°C)	36	36	35	34	35
Minimum Temperature (°C)	17	17	18	18	17
RH Morning (%)	75	75	80	80	70
RH Evening (%)	25	25	50	50	40
Wind Speed (kmph)	1	2	2	2	1
Wind Direction	14	16	45	10	25
Cloudiness (octa)	1	2	6	5	2

*Block level weather forecast (District Model Output) of Rajouri District have been given in Annexure I.


Weather forecast summary:

As per the forecast issued by India Meteorological Department, the sky will remain variably to mainly cloudy with possibility of very light rainfall at isolated places mainly between 18 - 20 May. The maximum temperature may range between 34 to 36 °C and minimum temperature may range between 17 to 18 °C for next five days. Relative humidity may range between 25 to 80%. Wind may blow mainly in the North North Eastern (NNE) direction with the average speed of 1-2 km/hour. Warning: No Warning.

General Advisory: Possibility of very light rainfall at isolated places over the district mainly between 18 – 20 May.

SMS Advisory: Farmers are advised to shift the harvested produce to safer place from crop fields or cover them with tarpaulin sheets as rainfall expected between 18 - 20 May at some places over the district.

Extended Range Forecast System: As per Extended Range Forecast System (ERFS), rainfall activity is likely to be large deficit between 17th to 21st May over Jammu division.



Agro meteorological Advisory:

Сгор	Stage	Insect pest/ Diseases Management & other operations	Weather based Agro meteorological advisories
Wheat		Storage	 Isolated very light rainfall/thundershowers likely to be expected between 18 - 20 May. Farmers are advised to shift the harvested produce from crop fields to safer places to avoid damage due to rainfall.
Maize (Temperate/ High hill areas)	Vegetative Stage	Intercultural operation	- Farmers are advised carry out intercultural operations in maize crop for better moisture conservation.

Vegetables	T.	ntercultural	- Farmers are advised to carry out intercultural operations (hoeing cum
Summer		perations	weeding) in tomato, brinjal and chilli $(25 - 30 \text{ days old crops})$ as well as
Summer Vegetables			in one month old $(25 - 30 \text{ days})$ okra so that moisture can be conserved.
. egemmes		isease nanagement	 Chances of early blight of tomato may appear, farmers are advised to keep vigil on disease development. If observed, farmers may go for chemical management i.e. foliar spray of Mancozeb @ 2 gm/liter of water during clear/dry weather conditions. There may be chance of bacterial wilt in tomato, brinjal chilli and cucurbits due to possibility of humid weather. If attack of bacterial wilt is observed, apply Streptocyclin Sulphate @ 1.0 gm/10 liter of water and repeat the spray at the time of flowering during clear/dry weather conditions.
	St	taking	 For better crop stand, farmers are advised to provide mechanical support in young plants of tomato and cucurbits to avoid losses from gusty winds. *Farmers are advised to regularly monitor the vegetable crops for the incidence of pest and diseases.
	Ir	rigation	- Farmers are advised to apply need based irrigation to the vegetable crops during the evening or early morning to avoid moisture stress.
Horticulture	C	are/Staking	- Young fruit plants may be provided staking to avoid damage from
(Stone Fruits & Nut Fruits)			adverse weather conditions.Remove all water/stock sprouts from the plant emerging from stem up to
& Nut Fruits)			a height of 30 cm from ground level.
			 Remove tying material from bud/graft union carefully. Keep the orchards clean from weeds/unwanted plants.
			 Install insect traps such as light trap, sticky traps and pheromones traps to
			check insect-pest attack.
		nsect pest nanagement	 Farmers are advised to keep vigil of termite attack on fruit plants. If observed undertake the following measures: Dismantle termatorium, if any in the field. Treat the affected area with Chlorpyriphos @ 2 ml/ liter of water or Imidacloprid @ 7 - 8 ml/15 liters of water.
	Ir	rigation	- Farmers are advised to apply need based irrigation to the young fruit plants during the evening or early morning to avoid moisture stress.
<i>Pleurotus</i> (Dhingri)			 Farmers are advised for cropping of <i>Pleurotus Spp.</i> (Dhingri). For cropping maintain bag to bag distance 15-20 cm and humidity (70-80%) in the growing room. Maintain complete hygiene in the cropping room. Periodic light sprinkling of water on bags at least three times a day are
			advised to maintain the temperature of bags. Avoid excessive use of water on bags.
Apiculture		are /Feed 1pplement	 Keeping in view the present weather conditions, farmers are advised to shift the honey bee colonies towards shady conditions or place them under open straw huts. Bees need water to dilute honey and to cool the hives during hot weather
			 conditions. Farmers are advised to keep water trough filled with coarse gravel near the hive. It helps bees to spend more time in collecting nectar and less time for water collection. Provide proper ventilation by slightly raising the brood chamber. Make sure that bees do not pass through the ventilation otherwise robbing may be induced. For protection of ants put the legs of apiary into water so that ants could not attack apiary.
Fisheries	Fingerlings/		- Farmers who have stocked fish live stock in their ponds are advised to
(Carp fish	Table size fish		maintain water level in their fish ponds.Those farmers who have not still stocked the fish seed in their fish ponds,
culture)	11511		- Those farmers who have not still stocked the fish seed in their fish points, they may go for fresh stocking of carp fish seeds, available from the
			they may go for tresh stocking of carp fish seeds, available from the

		reliable sources.Farmers who have already stocked fish seed, should apply supplementary feed @ 2-5% of total biomass present in the ponds.
Live stock(Dairy animals, sheep and goats)	Care/Feed supplement	 Mineral mixture (Agrimin forte @ 40 gm per day) should be supplemented in the diet of dairy animals particularly pregnant ones. Farmers are advised to keep proper ventilation and hygiene in the cattle sheds. Farmers are advised to include top feeds i.e. leaves of jamun, guava etc. in the diet of small ruminants to decline the parasitic load. Nomads are advised to follow proper livestock management practices during migration towards high areas.
Poultry	Care/Feed supplement	 Chicks should be supplemented with balanced ration to prevent occurrence of nutritionally deficient diseases. Brooder houses for newly born should be well ventilated, rain proof and protected from predators. Disinfectant tray should be kept at entrance of the poultry house to prevent occurrence of infectious diseases. Farmers are advised to keep improved breeds of Backyard poultry i.e Vanraja, chabro to supplement the daily income.

Contact Details: Dr. Rohit Sharma (Technical Officer), RARS- Rajouri E-mail: <u>amfurarsrajouri@gmail.com</u> Mobile No. 9596619990

Annexure "I" Date: 25-04-2025

Block Level Weather Forecast (District Model Output) for Rajouri District (Valid for next 5 days)

Budhal Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.8	22.7	13.1	42.5	30.1	10.8	36.8	1
18/05/25	0.2	23.9	14.1	39.2	28.9	10.1	34.8	0
19/05/25	0.4	24.6	15.2	43.7	31.8	8.1	32.2	2
20/05/25	2.8	23	15	54.4	34	8.6	33	3
21/05/25	2.2	23.7	14.4	55.2	40.2	7.9	30	1

New Budhal

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.8	22.7	13.1	42.5	30.1	10.8	36.8	1
18/05/25	0.2	23.9	14.1	39.2	28.9	10.1	34.8	0
19/05/25	0.4	24.6	15.2	43.7	31.8	8.1	32.2	2
20/05/25	2.8	23	15	54.4	34	8.6	33	3
21/05/25	2.2	23.7	14.4	55.2	40.2	7.9	30	1

Darhal

2								
Weather	Rainfall	Maximum	Minimum	RH	RH	Wind	Wind	Cloudiness
Parameters	(mm)	Temperature	Temperature	Morning	Evening	Speed	Direction	(octa)
		(°C)	(°C)	(%)	(%)	(kmph)		

17/05/25	1	30.4	17.2	36.7	24.8	11.7	56.3	1
18/05/25	0.6	31.5	18	34.8	24.5	11.7	56.3	0
19/05/25	2.3	32.4	19.4	37.6	26	11.2	56.8	3
20/05/25	3.5	30.5	19.2	46.6	29.4	10.5	51.9	2
21/05/25	1	30.7	18.5	46.6	33.4	9.7	51	1

Dhangri

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.2	37	22	33.7	21.6	10.3	24.7	0
18/05/25	0	38	22.8	32.7	21.6	10.3	24.7	0
19/05/25	0.4	38.7	23.7	34.5	22.1	9.4	32.4	2
20/05/25	1.5	37.2	24.2	42.1	25.4	9.7	26.5	3
21/05/25	0.2	37.5	23.9	41	28.3	10.1	27.4	1

Doongi

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.3	34.6	20.2	33.5	22.4	10.2	50.7	0
18/05/25	0	35.7	21	31.7	22.4	10.3	53.5	0
19/05/25	0.3	36.5	22.2	33.8	23.2	10.3	53.5	3
20/05/25	1.3	34.8	22.2	41.5	26.3	9.7	51	2
21/05/25	0.2	35.7	22.1	40.8	29.4	8.1	45	1

Kalakote

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.4	35.5	22.2	33.4	22.1	11.6	36.1	1
18/05/25	0	36.6	23	32.4	21.4	11.4	34.7	0
19/05/25	0.2	37.4	24	35.1	22.5	10.8	36.8	2
20/05/25	1.8	36.1	23.2	45	25.7	10.5	38	3
21/05/25	0.3	36.5	24.2	41.4	28.3	10.2	39.3	1

Manjakote

Weather Parameters	s Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.3	32.7	19	35	23.3	11.4	55.3	1
18/05/25	0.1	33.8	19.7	32.9	23.3	11.4	55.3	0

19/05/25	0.3	34.6	21.1	35.3	24.2	11.2	56.8	3
20/05/25	2	32.7	21.1	43.4	27.4	10.8	53.1	2
21/05/25	0.3	33.4	20.7	42.7	30.8	9.4	49.6	1

Moughla

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.4	35.5	22.2	33.4	22.1	11.6	36.1	1
18/05/25	0	36.6	23	32.4	21.4	11.4	34.7	0
19/05/25	0.2	37.4	24	35.1	22.5	10.8	36.8	2
20/05/25	1.8	36.1	23.2	45	25.7	10.5	38	3
21/05/25	0.3	36.5	24.2	41.4	28.3	10.2	39.3	1

Nowshera

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.3	39.1	24.1	31.5	20.3	7.7	41.2	0
18/05/25	0	40	24.6	31	20.4	7.7	41.2	0
19/05/25	0.3	40.9	25.9	31.6	20.9	7.4	50.9	2
20/05/25	1.6	39.4	25.7	40.8	23.9	7.7	48.8	3
21/05/25	0.1	39.6	26	37.7	26.7	7.7	37.4	0

Panjgrain

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.3	34.2	20.1	33.6	22.6	10.5	51.9	0
18/05/25	0	35.4	20.9	31.8	22.6	10.8	53.1	0
19/05/25	0.3	36.2	22.2	34	23.3	10.8	53.1	2
20/05/25	1.3	34.5	22.2	41.8	26.4	10.2	50.7	2
21/05/25	0.2	35.5	22	41	29.5	8.9	46.6	1

Qila-Darhal

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.2	39.8	24.6	31.2	20.1	7.2	36.8	0
18/05/25	0	40.8	25.2	30.8	20.3	6.9	38.6	0
19/05/25	0.2	41.6	26.2	31.3	20.7	6.1	49.7	2
20/05/25	1.3	40.1	26.2	40.6	23.6	6.6	49.4	3

21/05/25	0.1 40.5	26.6	37.4	26.4	6.5	33.7	0
----------	----------	------	------	------	-----	------	---

Rajouri

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.3	34.1	20.1	33.5	22.5	11	51.6	0
18/05/25	0	35.2	20.9	31.8	22.5	11	51.6	0
19/05/25	0.4	36	22.2	34	23.3	10.8	53.1	3
20/05/25	1.5	34.2	22.1	41.8	26.4	10.5	49.2	2
21/05/25	0.3	35.2	22	41	29.5	9.2	45	1

Seri

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.3	33.6	19.8	33.9	23	11	51.6	0
18/05/25	0	34.7	20.6	32.3	22.9	11.2	50.2	0
19/05/25	0.4	35.6	21.9	34.6	23.8	11	51.6	3
20/05/25	1.5	33.8	21.8	42.6	26.9	10.5	49.2	2
21/05/25	0.3	34.6	21.7	42	30.2	9.4	46.5	1

Siot

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.2	39	23.2	32.2	20.4	9	16.2	0
18/05/25	0	40	24	31.1	20.1	8.3	17.6	0
19/05/25	0.3	40.7	25	32.9	21	7.7	27.7	2
20/05/25	1.4	39.2	25.6	40.1	23.8	8.1	20.8	3
21/05/25	0.2	39.9	25.5	39.1	26.5	8.1	20.8	1

Sunderbani

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.1	39.9	23.5	32.1	20.5	8.7	24.4	0
18/05/25	0	40.9	24.1	31.3	19.7	7.6	25.3	0
19/05/25	0.2	41.7	25.1	33.3	20.9	7.6	31.4	2
20/05/25	1.6	40.2	25.4	42.8	23.7	7.2	36.8	3
21/05/25	0.2	40.9	25.6	39.4	26.3	6.8	32	1

Thana-Mandi

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.1	26.2	10.9	44.9	27.5	4.8	48	0
18/05/25	0.1	27.4	11.7	43	27.2	5.1	45	0
19/05/25	1.1	28.2	13	48.8	28.7	4.6	45	2
20/05/25	1.4	25.7	13.4	61.2	35.6	5.6	39.8	2
21/05/25	0.7	27.2	12.8	57.9	34.3	1.1	0	1

Planger

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.5	30.4	17.2	36.6	24.8	11.7	56.3	1
18/05/25	0.2	31.5	18	34.9	24.5	11.7	56.3	0
19/05/25	0.7	32.4	19.4	37.6	26	11.2	56.8	3
20/05/25	2.3	30.5	19.2	46.6	29.4	10.5	51.9	2
21/05/25	0.5	30.7	18.5	46.6	33.4	9.7	51	1

Lamberi

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.1	39.2	23.1	32.3	20.4	8.7	16.9	0
18/05/25	0	40.2	23.9	31.1	20.2	8	18.4	0
19/05/25	0.3	40.9	24.9	32.8	20.9	6.9	27.9	2
20/05/25	1	39.5	25.5	40.1	23.8	7.8	21.8	3
21/05/25	0.1	40.2	25.2	38.9	26.5	7.6	19.3	0

Khawas								
Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.6	33.1	20.1	36.8	24.4	12	32.7	1
18/05/25	0.2	34.2	20.9	35.5	23.7	11.5	32.2	0
19/05/25	0.5	35	21.8	38.8	25.3	10.4	33.7	2
20/05/25	2.5	33.6	21.1	50.2	28.8	10.1	34.8	3
21/05/25	1	33.6	21.6	47.7	32.2	9.8	36	1