



GraminKrishiMausamSewa
Agromet Advisory Bulletin for Udhampur District
Sher-e-Kashmir University of Agricultural Sciences and Technology – Jammu
RARS, Tandwal, Rajouri – 185131 (Union Territory of Jammu & Kashmir)



Agromet Advisory Bulletin

(Issued jointly by Regional Agricultural Research Station- Rajouri, SKUAST-Jammu and India Meteorological Department)

Bulletin No: - 14/2025-26/Friday

Date: 16th May, 2025

No. AUJ/RARS/Raj/Agromet/2025-26/332

Significant past weather for the preceding 5 days (11th to 15th May, 2025)

Rainfall (mm)	Not Available
Maximum Temperature (°C)	Not Available
Minimum Temperature (°C)	Not Available
Relative Humidity (%)	-

Medium range weather forecast for Udhampur (17th to 21st May, 2025)

Weather Parameters	17/05/25	18/05/25	19/05/25	20/05/25	21/05/25
Rainfall (mm)	0	0	2	3	0
Maximum Temperature (°C)	39	39	38	37	38
Minimum Temperature (°C)	22	22	23	23	21
RH Morning (%)	50	50	60	60	50
RH Evening (%)	40	40	50	50	40
Wind Speed (kmph)	1	2	2	2	1
Wind Direction	19	22	50	15	20
Cloudiness (octa)	1	2	6	5	2

*Block level weather forecast (District Model Output) of Udhampur District have been given in Annexure I.

Weather forecast summary:


As per the forecast issued by India Meteorological Department, the sky will remain variably to mainly cloudy with possibility of very light rainfall at isolated places mainly between 18 – 20 May. The maximum temperature may range between 37 to 39 °C and minimum temperature may range between 21 to 23 °C for next five days. Relative humidity may range between 40 to 60%. Wind may blow mainly in the North North Eastern (NNE) direction with the average speed of 1-2 km/hour.

Warning: No Warning.

General Advisory: Possibility of very light rainfall at isolated places over the district mainly between 18 – 20 May.

SMS Advisory: Farmers are advised to shift the harvested produce to safer place from crop fields or cover them with tarpaulin sheets as rainfall expected between 18 – 20 May at some places over the district.

Extended Range Forecast System: As per Extended Range Forecast System (ERFS), rainfall activity is likely to be large deficit between 17th to 21st May over Jammu division.



Agro meteorological Advisory:

Crop	Stage	Insect pest/ Diseases Management & other operations	Weather based Agro meteorological advisories
Wheat		Storage	- Isolated very light rainfall/thundershowers likely to be expected between 18 – 20 May. Farmers are advised to shift the harvested produce from crop fields to safer places to avoid damage due to rainfall.
Maize (Temperate/ High hill areas)	Vegetative Stage	Intercultural operation	- Farmers are advised carry out intercultural operations in maize crop for better moisture conservation.

Vegetables Summer Vegetables		Intercultural operations Disease management Staking Irrigation	<ul style="list-style-type: none"> - Farmers are advised to carry out intercultural operations (hoeing cum weeding) in tomato, brinjal and chilli (25 – 30 days old crops) as well as in one month old (25 - 30 days) okra so that moisture can be conserved. - Chances of early blight of tomato may appear, farmers are advised to keep vigil on disease development. If observed, farmers may go for chemical management i.e. foliar spray of Mancozeb @ 2 gm/liter of water during clear/dry weather conditions. - There may be chance of bacterial wilt in tomato, brinjal chilli and cucurbits due to possibility of humid weather. If attack of bacterial wilt is observed, apply Streptocyclin Sulphate @ 1.0 gm/10 liter of water and repeat the spray at the time of flowering during clear/dry weather conditions. - For better crop stand, farmers are advised to provide mechanical support in young plants of tomato and cucurbits to avoid losses from gusty winds. *Farmers are advised to regularly monitor the vegetable crops for the incidence of pest and diseases. - Farmers are advised to apply need based irrigation to the vegetable crops during the evening or early morning to avoid moisture stress.
Horticulture (Stone Fruits & Nut Fruits)		Care/Staking Insect pest management Irrigation	<ul style="list-style-type: none"> - Young fruit plants may be provided staking to avoid damage from adverse weather conditions. - Remove all water/stock sprouts from the plant emerging from stem up to a height of 30 cm from ground level. - Remove tying material from bud/graft union carefully. - Keep the orchards clean from weeds/unwanted plants. - Install insect traps such as light trap, sticky traps and pheromones traps to check insect-pest attack. - Farmers are advised to keep vigil of termite attack on fruit plants. If observed undertake the following measures: <ul style="list-style-type: none"> • Dismantle termatorium, if any in the field. • Treat the affected area with Chlorpyrifos @ 2 ml/ liter of water or Imidacloprid @ 7 – 8 ml/15 liters of water. - Farmers are advised to apply need based irrigation to the young fruit plants during the evening or early morning to avoid moisture stress.
Pleurotus (Dhingri)			<ul style="list-style-type: none"> - Farmers are advised for cropping of <i>Pleurotus Spp.</i> (Dhingri). - For cropping maintain bag to bag distance 15-20 cm and humidity (70-80%) in the growing room. - Maintain complete hygiene in the cropping room. - Periodic light sprinkling of water on bags at least three times a day are advised to maintain the temperature of bags. Avoid excessive use of water on bags.
Apiculture		Care /Feed supplement	<ul style="list-style-type: none"> - Keeping in view the present weather conditions, farmers are advised to shift the honey bee colonies towards shady conditions or place them under open straw huts. - Bees need water to dilute honey and to cool the hives during hot weather conditions. Farmers are advised to keep water trough filled with coarse gravel near the hive. It helps bees to spend more time in collecting nectar and less time for water collection. - Provide proper ventilation by slightly raising the brood chamber. Make sure that bees do not pass through the ventilation otherwise robbing may be induced. - For protection of ants put the legs of apiary into water so that ants could not attack apiary.
Fisheries (Carp fish culture)	Fingerlings/ Table size fish		<ul style="list-style-type: none"> - Farmers who have stocked fish live stock in their ponds are advised to maintain water level in their fish ponds. - Those farmers who have not still stocked the fish seed in their fish ponds,

			<p>they may go for fresh stocking of carp fish seeds, available from the reliable sources.</p> <ul style="list-style-type: none"> - Farmers who have already stocked fish seed, should apply supplementary feed @ 2-5% of total biomass present in the ponds.
Live stock(Dairy animals, sheep and goats)		Care/Feed supplement	<ul style="list-style-type: none"> - Mineral mixture (Agrimin forte @ 40 gm per day) should be supplemented in the diet of dairy animals particularly pregnant ones. - Farmers are advised to keep proper ventilation and hygiene in the cattle sheds. - Farmers are advised to include top feeds i.e. leaves of jamun, guava etc. in the diet of small ruminants to decline the parasitic load. - Nomads are advised to follow proper livestock management practices during migration towards high areas.
Poultry		Care/Feed supplement	<ul style="list-style-type: none"> - Chicks should be supplemented with balanced ration to prevent occurrence of nutritionally deficient diseases. - Brooder houses for newly born should be well ventilated, rain proof and protected from predators. - Disinfectant tray should be kept at entrance of the poultry house to prevent occurrence of infectious diseases. - Farmers are advised to keep improved breeds of Backyard poultry i.e Vanraja, chabro to supplement the daily income.

Contact Details: Dr. Rohit Sharma (Technical Officer), RARS- Rajouri

E-mail: amfurarsrajouri@gmail.com

Mobile No. 9596619990

Annexure “I”
Date 16-05-2025

Block Level Weather Forecast (District Model Output) for Udhampur District (Valid for next 5 days)

Chanunta-Dalsar

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.5	37.1	21.8	38.3	22.8	13	48.3	1
18/05/25	0.2	38.1	22.4	36.1	20.7	11.7	47.5	0
19/05/25	0.2	38.9	23.7	36.6	21.3	10.8	53.1	1
20/05/25	1.2	37.8	23.8	42.1	24.2	10.4	56.3	3
21/05/25	0.4	37.5	23.8	43.6	29.6	9.8	54	1

Chenani

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.4	31.4	16	46.5	23.5	16.4	52.1	0
18/05/25	0.1	32.5	16.8	42.7	22.9	16.1	51.3	0
19/05/25	0.1	33.6	17.9	42.2	23.3	15	54.8	1
20/05/25	0.9	32.1	18.2	49.4	26.6	15.7	53.4	3
21/05/25	0.5	32.4	18.1	49.3	31.8	14	48.1	1

Dudu

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.7	25.2	11.1	56.4	29.6	8.6	67.7	1
18/05/25	0.2	26.8	12	52	26.5	8.6	67.7	0
19/05/25	0.3	27.2	13.2	52.2	27.5	7	68.7	1
20/05/25	2.3	26	13.5	59.5	31.5	8.2	66.8	4
21/05/25	0.7	26.2	13.1	59.8	37.6	7.2	53.1	1

Ghordi

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.5	28.5	14.6	50.4	27.9	10.5	59	1
18/05/25	0.2	29.9	15.5	46.5	24.8	10	59.7	0
19/05/25	0.2	30.6	16.7	47	25.6	8.7	60.2	1
20/05/25	1.6	29.4	17	53.4	28.9	9.7	58.7	3
21/05/25	0.5	30.1	17.4	53.2	34.7	9.4	46.5	1

Jganoo

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.6	36.7	20.2	39.1	20.9	17.3	45	1
18/05/25	0.1	37.7	20.9	37.6	20.4	16.5	45.9	0
19/05/25	0.1	38.6	22.1	38.7	21	16.1	47.7	2
20/05/25	1	37.5	23.1	44.1	23.6	15.3	46.9	4
21/05/25	0.4	37.6	23.2	44.2	28.6	14.5	46	1

Latti

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.6	26.8	12.8	52.8	28.9	10.3	65.2	1
18/05/25	0.2	28.2	13.6	48.7	25.7	10	64.3	0
19/05/25	0.2	28.9	14.9	49.2	27	8.7	65.5	1
20/05/25	2	27.7	15.2	55.8	30.5	10	64.3	3
21/05/25	0.5	28.2	15.2	56.1	36	9.3	54.4	1

Majalta

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
--------------------	---------------	--------------------------	--------------------------	----------------	----------------	-------------------	----------------	-------------------

17/05/25	0.8	18.8	5.2	61.8	32.1	6.8	25.2	1
18/05/25	0.6	20.2	6	59	31.3	6.6	22.3	0
19/05/25	1.4	20.6	7.2	59.1	30.7	6.1	28	3
20/05/25	4.3	18.4	7.2	67.8	37.8	5.5	23.2	3
21/05/25	1.6	20.1	7.1	60	37.2	5	30.2	1

Panchari

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.5	30.6	15.8	43.4	24.3	14.6	32.9	1
18/05/25	0.1	31.7	16.7	40.6	23.8	14.9	32.1	0
19/05/25	0.2	32.6	18.1	43	25.2	13.5	34.1	1
20/05/25	1	30.4	18.1	50.8	29.9	13.6	37.4	4
21/05/25	0.9	32	18.2	49.8	33	11.5	43.7	1

Parli-Dhar

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.4	37.5	20.9	38.5	20.7	17.1	44.1	1
18/05/25	0.1	38.4	21.4	37	20.3	16.3	45	0
19/05/25	0	39.2	22.6	38.2	20.8	15.8	46.8	2
20/05/25	1	38.2	23.6	43.7	23.4	14.8	47	4
21/05/25	0.4	38.5	23.8	43.6	28.3	14.5	46	1

Ramnagar

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.5	36.7	21.5	38.3	22.8	13	48.3	1
18/05/25	0.2	37.7	22.2	36.1	20.7	11.7	47.5	0
19/05/25	0.2	38.5	23.5	36.6	21.3	10.8	53.1	1
20/05/25	1.2	37.4	23.6	42.1	24.2	10.4	56.3	3
21/05/25	0.4	37	23.5	43.6	29.6	9.8	54	1

Tikri

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.3	38	21.2	37.7	20.6	16.1	42.2	1
18/05/25	0	38.9	21.8	36.1	20.5	14.8	43	0

19/05/25	0	39.8	22.9	37.7	20.8	14.3	45	2
20/05/25	1	38.8	23.9	43.4	23.6	13.5	43.9	4
21/05/25	0.2	39	24.2	43.2	28.2	13.2	42.8	1

Udhampur

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.4	37.5	20.9	38.5	20.7	17.1	44.1	1
18/05/25	0.1	38.4	21.4	37	20.3	16.3	45	0
19/05/25	0	39.2	22.6	38.2	20.8	15.8	46.8	2
20/05/25	1	38.2	23.6	43.7	23.4	14.8	47	4
21/05/25	0.4	38.5	23.8	43.6	28.3	14.5	46	1

Sewna

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.5	36.6	21.5	46.4	30.4	9.9	33.1	1
18/05/25	0.5	32.9	17.5	44.4	23.1	16.6	51.1	0
19/05/25	0.1	34	18.2	40.7	22	16.6	51.1	0
20/05/25	0.1	35.1	19.2	40.6	22.6	15.4	52.6	1
21/05/25	0.7	33.5	19.7	48.1	25.9	15.6	51.5	3

Narsoo

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.5	32.9	17.5	44.1	22.8	16.9	50.2	0
18/05/25	0.1	34	18.2	40.4	22	16.9	50.2	0
19/05/25	0.1	35.1	19.2	40.2	22.6	15.4	52.6	1
20/05/25	0.7	33.5	19.7	47.9	25.7	15.9	50.5	3
21/05/25	0.5	34.1	19.8	47.4	30.8	14.5	46	1

Kulwanta

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.5	34.9	20	41	23.6	12.7	47.3	1
18/05/25	0.2	35.9	20.7	38.6	21.3	11.5	48.8	0
19/05/25	0.2	36.7	22	39	22.2	10.5	51.9	1
20/05/25	1.6	35.6	22.1	44.5	25.3	10.1	55.2	3

21/05/25	0.4	34.9	21.7	46.2	31	9.3	54.4	1
----------	-----	------	------	------	----	-----	------	---

Khoon

Weather Parameters	Rainfall (mm)	Maximum Temperature (°C)	Minimum Temperature (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction	Cloudiness (octa)
17/05/25	0.6	36.7	20.2	39.1	20.9	17.3	45	1
18/05/25	0.1	37.7	20.9	37.6	20.4	16.5	45.9	0
19/05/25	0.1	38.6	22.1	38.7	21	16.1	47.7	2
20/05/25	1	37.5	23.1	44.1	23.6	15.3	46.9	4
21/05/25	0.4	37.6	23.2	44.2	28.6	14.5	46	1