

**SECTION-A BIOLOGY (1-60)**

- Q1) The most popular and outstanding natural system of classification is that of  
 a) Hutchinson                      b) Bentham and Hooker  
 c) Bessey                              d) De Candole
- Q2) What is the shape of chloroplast in Chlamydomonas?  
 a) Cup shaped                      b) Spiral  
 c) Stellate                              d) Collar shaped
- Q3) Gymnosperms do not bear  
 a) Seeds                              b) Fruits  
 c) Cones                              d) None of them
- Q4) The principal components of xylem tissue include  
 a) Companion cells and tracheids  
 b) Fibres and sieve tubes  
 c) Companion cells and vessels  
 d) Tracheids and vessels
- Q5) In dicots, there is a layer of meristematic cells in-between the phloem and xylem, known as  
 a) Protoxylem                      b) Protophloem  
 c) Vascular cambium              d) Differentiation zone
- Q6) Potato belongs to which family?  
 a) Solanaceae                      b) Liliaceae  
 c) Asteraceae                      d) Poaceae
- Q7) Vascular bundles are scattered in  
 a) Dicot Stem                      b) Dicot root  
 c) Monocot Stem                      d) Algae
- Q8) Polyarch and exarch vascular bundles occur in  
 a) Dicot stem                      b) Monocot stem  
 c) Dicot root                      d) Monocot root
- Q9) The minimum number of pigment molecules capable of acting cooperatively in a photochemical act to evolve one molecule of O<sub>2</sub> or to reduce one molecule of CO<sub>2</sub> is known as  
 a) Quantum unit                      b) Quantasome unit  
 c) Photosynthetic unit              d) Photochemical unit
- Q10) In C<sub>4</sub> plants, initially the carbon dioxide of the atmosphere comes in contact with mesophyll cells where it combines with phosphoenol pyruvic acid to form  
 a) Malic acid                      b) Aspartic acid  
 c) Oxaloacetic acid                      d) Pyruvic acid
- Q11) The enzymes for the Krebs's cycle are located in  
 a) Matrix of the mitochondria  
 b) Cristae of the mitochondria  
 c) Outer membrane of the mitochondria  
 d) Chloroplast
- Q12) The factors that favour guttation include  
 a) High water absorption  
 b) Low root pressure  
 c) High rate of transpiration  
 d) All of the above
- Q13) The highest concentration of auxin is found in  
 a) Nodes of the plant  
 b) Growing tips of the plant  
 c) Dead cells of the plant  
 d) None of the above
- Q14) The light-sensitive lettuce seeds that are imbibing are treated with red light followed by far red light:  
 a) The Pr form is converted to the active PFr form  
 b) The PFr form is not affected  
 c) Germination takes place  
 d) Germination does not take place
- Q15) The condition where some flowers never open to ensure complete self-pollination is known as  
 a) Cleistogamy                      b) Homogamy  
 c) Geitonogamy                      d) Xenogamy
- Q16) The process of double fertilization was demonstrated for the first time by  
 a) Zimmerman                      b) Nawaschin  
 c) Sherrington                      d) Naudin
- Q17) The lower most cell of the suspensor adjacent to the embryonal cell is known as  
 a) Ephiphysis                      b) Hypophysis  
 c) Paraphysis                      d) Periphysis
- Q18) The nucellus of ovule is surrounded by one or two cellular coats called  
 a) Columella                      b) Lamellae  
 c) Integuments                      d) Chalaza
- Q19) If a part of flower other than ovary is also involved in the formation of fruit, it is called as  
 a) Parthenocarpic fruit              b) Pseudocarpic fruit  
 c) True fruit                      d) Aggregate fruit
- Q20) Which of the following characteristic of pea plant was not used by Mendel in his experiments  
 a) Seed colour                      b) Seed Shape  
 c) Pod length                      d) Flower position
- Q21) Lack of independent assortment of two genes is due to  
 a) Recombination                      b) Crossing over  
 c) Linkage                      d) Repulsion

- Q22) In the DNA strand has nitrogen base sequence ATTGCC, the mRNA formed from it will have?  
 a) UAACGG                      b) ATTGCC  
 c) ATCGGG                      d) UGGACC
- Q23) The accepted hypothesis for DNA replication is  
 a) Conservative theory  
 b) Dispersive theory  
 c) Semi-conservative theory  
 d) Evolutionary theory
- Q24) A Codon contains how many nucleotides?  
 a) One                              b) Two  
 c) Three                            d) Four
- Q25) Which of the following would appear as the pioneer organisms on bare rocks?  
 a) Green algae                    b) Lichens  
 c) Liverworts                    d) Mosses
- Q26) If we combine all the ecosystems present on the earth, then it is called  
 a) Biome                            b) Habitat  
 c) Biosphere                      d) Ecology
- Q27) Which is an example of an ex-situ conservation of biodiversity?  
 a) Sacred groves                b) Wildlife sanctuary  
 c) Seed bank                      d) National Park
- Q28) Who is known as the Father of tissue culture?  
 a) Bonner                            b) Laibach  
 c) Haberlandt                    d) Gautheret
- Q29) Biofertilizers are  
 a) Some bacteria and cyanobacteria  
 b) Fertilizers formed by ploughing in green plants  
 c) Fertilizers obtained by decay of dead plants  
 d) Fertilizers prepared by mixing cattle dung with crop residues
- Q30) Golden rice is a promising transgenic crop) When released for cultivation, it will help in  
 a) Alleviation of vitamin-A deficiency  
 b) Pest resistance  
 c) Herbicide tolerance  
 d) Producing fuel from rice
- Q31) Cell drinking is exclusively known as?  
 a) Phagocytosis                b) Pinocytosis  
 c) Endocytosis                 d) Exocytosis
- Q32) During which phase of the cell cycle, chromosomes replicate?  
 a) G<sub>1</sub> phase                      b) G<sub>2</sub> phase  
 c) S phase                         d) G<sub>0</sub> phase
- Q33) Resting membrane potential of a neuron is approximately  
 a) -70 mV/-65mV              b) -70  $\mu$ V  
 c) +70  $\mu$ V                        d) +70 mV
- Q34) During which stage of cell cycle, crossing over take place?  
 a) Leptotene                        b) Zygotene  
 c) Pachytene                      d) Diplotene
- Q35) Presence of mucous over the skin of frog is an adaptation for:  
 a) Buccal respiration  
 b) Cutaneous respiration  
 c) Pulmonary respiration  
 d) None of the above
- Q36) The differentiation of spermatids into spermatozoa is called as  
 a) Spermatogenesis  
 b) Spermatocytogenesis  
 c) Spermiogenesis  
 d) None of the above
- Q37) Which of the following disease is caused by Plasmodium vivax?  
 a) Malaria                         b) Chagas disease  
 c) Scurvy                         d) Sleeping sickness
- Q38) Which of the following phylum is the most primitive among bilateral animals?  
 a) Coelentrata                    b) Porifera  
 c) Platyhelminthes              d) Annelida
- Q39) Clitellum in earthworms surrounds the segments  
 a) 12-14<sup>th</sup>                            b) 14-16<sup>th</sup>  
 c) 16-18<sup>th</sup>                         d) 13-15<sup>th</sup>
- Q40) Curdling of milk in small intestine occur due to the action of  
 a) Rennin                            b) Trypsin  
 c) Renin                             d) Chymotrypsin
- Q41) Which of the following gland performs both endocrine and exocrine functions?  
 a) Pancreas                        b) Hypothalamus  
 c) Ovary                            d) Testes
- Q42) Hardy Weinberg law operates on?  
 a) Non-evolving populations  
 b) Slow evolving populations  
 c) Randomly evolving populations  
 d) Fast evolving populations
- Q43) Which of the following is a poikilotherm?  
 a) Catfish                            b) Silverfish  
 c) Pigeon                            d) All of the above



- Q3A) Where first Agriculture University of India was established?  
a) Srinagar                      b) Ludhiana  
c) Kanpur                        d) Pantnagar
- Q4A) IRRI is located in--  
a) USA                              b) Australia  
c) Philippines                    d) India
- Q5A) Which of the following is a Green Manure Crop?  
a) Daincha                        b) Potato  
c) Barley                         d) Sesame
- Q6A) For applying 100 kg of nitrogen, how much urea would one use?  
a) 310 kg                         b) 218 kg  
c) 100 kg                         d) 146 kg
- Q7A) "Silviculture" refers to cultivation of --  
a) Silkworm                      b) Trees  
c) Medicinal plants            d) Oilseed crops
- Q8A) ADP to ATP change is called --  
a) Respiration                  b) Transpiration  
c) Photosynthesis              d) Phosphorylation
- Q9A) SRI is a technique used in--  
a) Cotton                         b) Rice  
c) Wheat                         d) Maize
- Q10A) Pink bollworm is a pest of --  
a) Sugarcane                    b) Gram  
c) Cotton                         d) Jute
- Q11A) Khaira disease of rice can be controlled by spraying—  
a) Calcium bicarbonate  
b) Calcium carbonate  
c) Calcium sulphate  
d) Zinc sulphate
- Q12A) Which is a variety of Oat?  
a) Kent                            b) Jaya  
c) Pusa Giant                    d) Sonalika
- Q13A) The relative proportion of sand, silt and clay is called ---  
a) Soil taxonomy  
b) Soil water holding capacity  
c) Soil structure  
d) Soil texture
- Q14A) Soil mulch is useful for---  
a) Minimizing evaporation loss  
b) Improving fertility of soil  
c) Improving drainage  
d) Improving soil structure
- Q15A) Growth of plants toward light is called--  
a) Photoperiodism              b) Photorespiration  
c) Phototropism                d) Photochromatism
- Q16A) A homozygous trait in an organism is defined as-  
a) The appearance of a trait in that organism  
b) Appearance of same trait in two organisms  
c) The presence of two different alleles in that organism  
d) Presence of two identical alleles in that organism
- Q17A) Which of the following were not taken into accounts in Mendel's experiments on hybridization?  
a) Plant height and flower position  
b) Length of pods and width of pods  
c) Flower colour and seed colour  
d) Pod shape and pod colour
- Q18A) Which of the following crops have been approved for commercial cultivation in India?  
a) Golden rice and high protein maize  
b) Bt Maize and Bt rice  
c) Bt cotton only  
d) Bt brinjal and Bt cotton
- Q19A) Conservation tillage saves?  
a) Soil                              b) Moisture  
c) Time                            d) All of above
- Q20A) Concentration of carbon dioxide in atmosphere is--  
a) 330 ppm                        b) 350 ppm  
c) 370 ppm                        d) 400 ppm
- Q21A) Which of the following is not a fruit vegetable?  
a) Tomato                         b) Chilli  
c) Potato                         d) Brinjal
- Q22A) Botanical name of Damask rose is----  
a) Rosa chinensis              b) Rosa damascena  
c) Rosa moschata              d) Rosa multiflora
- Q23A) Central Institute for temperate horticulture is located at----  
a) Pantnagar                      b) Srinagar  
c) Lucknow                        d) Shimla
- Q24A) Which of the following State/UT is highest producer of apple in India?  
a) Himachal Pradesh        b) Jammu & Kashmir  
c) Uttarakhand                 d) Uttar Pradesh

- Q25A) Which of the following vegetable crop is direct seeded?  
 a) Tomato                      b) Onion  
 c) Chilli                        d) Okra
- Q26A) Biennial bearing is found in ----  
 a) Pomegranate              b) Apple  
 c) Mango                        d) Grape
- Q27A) Which of the following is not a leguminous vegetable?  
 a) Pea                            b) French bean  
 c) Cowpea                      d) Okra
- Q28A) Central Potato Research Institute is located at--  
 a) Shimla                        b) Srinagar  
 c) Meerut                        d) Lucknow
- Q29A) Saffron is grown mostly in the State/UT of --  
 a) Himachal Pradesh      b) Jammu & Kashmir  
 c) Uttarakhand                d) Uttar Pradesh
- Q30A) Microbial digestion occur in----  
 a) Poultry                        b) Pig  
 c) Sheep                         d) Horse
- Q31A) Osteomalacia a disease of adult is caused due to deficiency of----  
 a) Calcium                      b) Magnesium  
 c) Fluorine                      d) Iodine
- Q32A) The average nitrogen content of protein is----  
 a) 15%                            b) 16%  
 c) 18%                            d) 17%
- Q33A) More commonly used factor for converting nitrogen to crude protein is----  
 a) 5.25                            b) 4.25  
 c) 6.75                            d) 6.25
- Q34A) The most appropriate ratio of calcium and phosphorous for efficient utilization is----  
 a) 2:1                              b) 4:1  
 c) 1:2                              d) 1:4
- Q35A) Daily water requirement of a dairy cow is influenced by----  
 a) Composition of ration  
 b) Milk production  
 c) Environmental temperature  
 d) All the above factors
- Q36A) Rabies is a fatal disease of animals, caused by--  
 a) Virus                            b) Bacteria  
 c) Protozoa                      d) All of these
- Q37A) The pH range of good silage is----  
 a) 3.8 to 4.4                      b) 4.9 to 5.6  
 c) 6.0 to 7.0                      d) None of these
- Q38A) Price of a commodity and its demand has ----  
 a) Positive correlation  
 b) Negative correlation  
 c) Depends on the commodity  
 d) No relationship
- Q39A) The net cultivated area in India is----  
 a) 150 mha                        b) 143 mha  
 c) 180 mha                        d) 328 mha
- Q40A) IVLP stands for--  
 a) Institute Village Linkage Project  
 b) Integrated Village Linkage Programme  
 c) Integrated Village Linkage Project  
 d) Institute Village Linkage Programme
- Q41A) Contribution of agriculture to GDP is--  
 a) 14%                              b) 20%  
 c) 24%                              d) 34%
- Q42A) White revolution is related to----  
 a) Food grain production  
 b) Fish production  
 c) Egg production  
 d) Milk production
- Q43A) Support price for crop produce is fixed based on the recommendations of ----  
 a) NAFED  
 b) CACP  
 c) Ministry of Agriculture  
 d) CCI
- Q44A) The factors of production are----  
 a) Land and labour  
 b) Land, labour, capital  
 c) Land, labour, capital, management  
 d) Land, labour, money, machine
- Q45A) ATMA stands for----  
 a) Agriculture Technology Management Agency  
 b) Agriculture Transfer Model Assessment  
 c) Agriculture Transfer Management Assessment  
 d) Agricultural Tourism and Management Agency
- Q46A) AMUL is a ----  
 a) Cooperative                      b) Self-Help Group  
 c) Company                        d) Society

Q47A) Only one seller of product/service is ----  
 a) Oligopoly                      b) Perfect competition  
 c) Monopsony                      d) Monopoly

Q48A) For hard, dry and stony soil surface which kind of plough is suitable?  
 a) Mould Board Plough  
 b) Disc Plough  
 c) Chisel Plough  
 d) Rotary Plough

Q49A) Which is not a type of drought?  
 a) Hydrological                      b) Meteorological  
 c) Biological                      d) Socio-economic

Q50A) Conservation tillage leaves how much residue on the surface?  
 a) <10%                      b) 10-15%  
 c) 15-25%                      d) >30%

Q51A) What is percentage of carbon in wrought iron?  
 a) <1%                      b) 1-2%  
 c) 2-3%                      d) >4%

Q52A) Which is the largest producer of sugarcane in the world?  
 a) Australia                      b) India  
 c) Brazil                      d) China

Q53A) If driving (effort) wheel has 15 teeth and driven (load) wheel has 60 teeth what is gear ratio?  
 a) 1:4                      b) 4:1  
 c) 2:3                      d) 3:2

Q54A) Most common type of irrigation pumps are----  
 a) Centrifugal pump      b) Mixed flow pump  
 c) Propeller pump      d) Jet pump

Q55A) The metering device is part of which agricultural implement?  
 a) Paddy Thresher      b) Mould Board Plough  
 c) Chaff Cutter      d) Seed drill

Q56A) Which is not a manually operated weeding tool?  
 a) Hand Hoe                      b) Wheel Hoe  
 c) Hoe cum rake                      d) Rotary Cultivator

Q57A) Tillage operation does not include-----  
 a) Digging                      b) Flushing  
 c) Overturning                      d) Stirring

Q58A) Equipment used to apply insecticides/pesticides in dry form is known as-  
 a) Sprayer                      b) Injector  
 c) Duster                      d) Sprinkler

Q59A) Chaff cutter is used for----  
 a) Cutting fodder                      b) Grain grinding  
 c) Cane crushing                      d) Seed processing

Q60A) Mould board of a mould board plough is usually made of ----  
 a) Mild steel                      b) Forged steel  
 c) Soft steel                      d) Malleable steel

### SECTION-A MATHEMATICS(1B-60B)

Q1B) Which of the following sets is empty set?  
 a)  $A = \{x : x^2 - 2 = 0 \text{ and } x \text{ is rational}\}$   
 b)  $B = \{x : x \text{ is an even prime number}\}$   
 c)  $C = \{x : 3x < 5, x \in N\}$   
 d)  $D = \{x : x^2 = 25 \text{ and } x \text{ is an odd integer}\}$

Q2B) In a group of 600 persons, 550 can speak Hindi and 250 can speak English, then the number of persons who can speak both Hindi and English is  
 a) 100                      b) 200  
 c) 300                      d) 350

Q3B) Let R be a relation on the set N of natural numbers defined by  
 $R = \{(x, y) : x + 2y = 8, x \in N, y \in N\}$   
 then Range of R is  
 a) {2, 4, 6}                      b) {2, 4, 1}  
 c) {3, 2, 1}                      d) None of these

Q4B) Let  $A = \{1, 2, 3\}$  and  
 let  $R_1 = \{(1,1), (1,3), (3,1), (2,2), (2,1), (3,3)\}$   
 $R_2 = \{(2,2), (3,1), (1,3)\}$  and  
 $R_3 = \{(1,3), (3,3)\}$   
 Then for the relations  $R_1, R_2$  and  $R_3$  which is true?  
 a)  $R_1$  is reflexive but neither symmetric nor transitive.  
 b)  $R_2$  is reflexive, symmetric but not transitive.  
 c)  $R_3$  is symmetric and transitive  
 d) None of these

Q5B) Let  $f : R \rightarrow R$  given by  $f(x) = x^2 + 4$  then the pre-images of 40 under f are  
 a)  $\pm 5$                       b)  $\pm 6$   
 c)  $\pm 7$                       d) None of these

Q6B) Let  $f : R \rightarrow R$  and  $g : R \rightarrow R$  be two functions s.t  $f \circ g(x) = \sin x^2$  and  $g \circ f(x) = \sin^2 x$  then  $g(x) =$   
 a)  $\sin x$                       b)  $\sin^2 x$   
 c)  $\sin x^2$                       d)  $x^2$

Q7B) If  $\frac{(1+i)^2}{2-i} = x + iy$  then  $x + y =$

- a)  $-\frac{2}{5}$                       b)  $\frac{6}{5}$   
 c)  $\frac{2}{5}$                         d)  $-\frac{6}{5}$

Q8B) If  $1, \omega, \omega^2$  are the cube roots of unity, then  $(1 - \omega + \omega^2)(1 - \omega^2 - \omega^4)(1 - \omega^4 + \omega^8)(1 - \omega^8 + \omega^{16})$  --- to  $2n$  factors is

- a)  $2n$                         b)  $2^{2n}$   
 c)  $1$                          d)  $-2^{2n}$

Q9B) Let "r" be a positive real number and "a" be a fixed real number, then  $|x - a| \leq r \Leftrightarrow$

- a)  $x \in (a - r, a + r)$   
 b)  $x \in [a - r, a + r]$   
 c)  $x > a + r$   
 d)  $x \geq a + r$

Q10B) The solution set of the inequation

$$\left| \frac{2}{x-4} \right| > 1, x \neq 4 \text{ is}$$

- a)  $2 < x < 6$                 b)  $2 > x > 6$   
 c)  $[2, 6]$                         d)  $(2, 4) \cup (4, 6)$

Q11B) The solution set of the inequation

$$2x + y > 5 \text{ is}$$

- a) Half plane that contains the origin.  
 b) Open half plane not containing the origin.  
 c) Whole  $xy$ -plane except the points lying on the line  $2x + y = 5$   
 d) None of these

Q12B) The point at which the maximum value of  $z = x + y$ , subject to the constraints

$$x + 2y \leq 70, 2x + y \leq 95, x, y \geq 0 \text{ is}$$

- obtained, is  
 a)  $(30, 25)$                 b)  $(35, 20)$   
 c)  $(40, 15)$                 d)  $(20, 35)$

Q13B) In a geometric progression (G.P) the ratio of the sum of the first three terms and first six terms is  $125 : 152$ , then common ratio is

- a)  $\frac{1}{5}$                               b)  $\frac{2}{5}$   
 c)  $\frac{3}{5}$                               d)  $\frac{4}{5}$

Q14B) If  $P^{\text{th}}$  term of an A.P is  $q$  and the  $q^{\text{th}}$  term is  $P$ , then the  $10^{\text{th}}$  term is

- a)  $P - q + 10$                 b)  $P + q + 11$   
 c)  $P + q - 9$                  d)  $P + q - 10$

Q15B) The number of permutations of 4 letters that can be made out of the letters of the word "EXAMINATION" is

- a) 2454                        b) 2452  
 c) 2450                        d) 2448

Q16B) The coefficient of  $x^r$  in the expansion of  $(1 - x)^{-2}$  is

- a)  $r$                               b)  $r + 3$   
 c)  $r + 1$                         d)  $r - 1$

Q17B) If  $C_0, C_1, C_2, \dots, C_n$  denote the bi-nomial coefficients in the expansion of  $(1 + x)^n$ , then

$$C_0 + \frac{C_1}{2} + \frac{C_2}{3} + \dots + \frac{C_n}{n+1} =$$

- a)  $\frac{2^{n+1}-1}{n+1}$                         b)  $\frac{2^n-1}{n}$   
 c)  $\frac{2^{n-1}-1}{n-1}$                         d)  $\frac{2^{n+1}-1}{n+2}$

Q18B) On a railway route there are 15 stations. The number of tickets required in order that it may be possible to book a passenger from every station to every other is

- a)  $\frac{15!}{2!}$                               b)  $15!$   
 c)  $\frac{15!}{13!}$                               d)  $\frac{15!}{13!2!}$

Q19B) If  $x \sin \theta = y \cos \theta = \frac{2z \tan \theta}{1 - \tan^2 \theta}$ , then

$$4z^2(x^2 + y^2) =$$

- a)  $(x^2 + y^2)^3$                 b)  $(x^2 - y^2)^2$   
 c)  $(x^2 + y^2)^2$                 d)  $(x^2 - y^2)^3$

Q20B)  $\tan 25^\circ + \tan 20^\circ + \tan 25^\circ \tan 20^\circ =$

- a) 1                                b) 2  
 c) 3                                d) 4

Q21B) If  $\cos x = 3 \cos y$ , then  $2 \tan \frac{y-x}{2} =$

- a)  $\cot \left( \frac{x+y}{2} \right)$                       b)  $\cot \left( \frac{x+y}{4} \right)$   
 c)  $\cot \left( \frac{y-x}{2} \right)$                       d)  $\cot \left( \frac{y-x}{4} \right)$

Q22B) If  $\cos x \neq -\frac{1}{2}$ , then the solutions of  $\cos x + \cos 2x + \cos 3x = 0$  are

- a)  $2n\pi \pm \left( \frac{\pi}{4} \right), n \in Z$     b)  $2n\pi \pm \left( \frac{\pi}{3} \right), n \in Z$   
 c)  $2n\pi \pm \left( \frac{\pi}{6} \right), n \in Z$     d)  $2n\pi \pm \left( \frac{\pi}{2} \right), n \in Z$

Q23B)  $\tan^{-1} \frac{x}{\sqrt{a^2-x^2}} =$

- a)  $2 \sin^{-1} \frac{x}{a}$                       b)  $\sin^{-1} \frac{2x}{a}$   
 c)  $\sin^{-1} \frac{x}{a}$                         d)  $\cos^{-1} \frac{x}{a}$

Q24B) The solution of  $\tan^{-1} 2\theta + \tan^{-1} 3\theta = \frac{\pi}{4}$  is

- a)  $\frac{1}{\sqrt{6}}$                       b)  $\frac{1}{\sqrt{3}}$   
 c)  $\frac{1}{3}$                               d)  $\frac{1}{6}$

Q25B) If  $\begin{vmatrix} 1 & 1 & 0 \\ 2 & 0 & 3 \\ 5 & -6 & x \end{vmatrix} = 29$ , Then  $x$  is

- a) 4                                      b) 3  
 c) 2                                      d) 1

Q26B) If  $A = \begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix}$  then  $A^{-1} =$

- a)  $2A$                                       b)  $A$   
 c)  $-A$                                       d)  $1$

Q27B) If  $x \begin{bmatrix} -3 \\ 4 \end{bmatrix} + y \begin{bmatrix} 4 \\ 3 \end{bmatrix} = \begin{bmatrix} 10 \\ -5 \end{bmatrix}$ , then

- a)  $x = 2, y = -1$                       b)  $x = 22, y = 1$   
 c)  $x = -9, y = 10$                       d)  $x = -2, y = 1$

Q28B) Let  $A$  be a square matrix and  $A^T$  be its transpose, then  $A + A^T$  is

- a) The identity matrix  
 b) A diagonal matrix  
 c) A symmetric matrix  
 d) A skew-symmetric matrix

Q29B) The systems of equations

$\begin{cases} 3x - y + 4z = 3 \\ x + 2y - 3z = -2 \\ 6x + 5y + \lambda z = -3 \end{cases}$  has at least one solution, if

- a)  $\lambda = 5$                                       b)  $\lambda = -5$   
 c)  $\lambda = 3$                                       d)  $\lambda = -3$

Q30B) The value

of  $\begin{vmatrix} \log_5^{729} & \log_3^5 \\ \log_5^{27} & \log_9^{25} \end{vmatrix} \cdot \begin{vmatrix} \log_3^5 & \log_{27}^5 \\ \log_5^9 & \log_5^9 \end{vmatrix}$  is

- a)  $\log_3^5 \cdot \log_5^{81}$                       b)  $\log_5^9$   
 c) 6    d) 0

Q31B) If  $n$  is an integer, then  $\lim_{x \rightarrow n} [x]$ :

- a)  $n - 1$                                       b)  $n + 1$   
 c)  $n$     d) does not exist

Q32B) If the function  $f: R \rightarrow R$  is given by

$f(x) = \begin{cases} x + a & \text{if } x \leq 1 \\ 3 - x^2 & \text{if } x > 1 \end{cases}$  is continuous at

$x = 1$ , then  $a =$

- a) 1    b) 2  
 c) 3    d) 4

Q33B) Derivative of  $\log_{10} x$  with respect to  $x^2$  is

- a)  $2x^2 \log_e^{10}$                       b)  $\frac{\log_{10} e}{2x^2}$   
 c)  $\frac{\log_e^{10}}{2x^2}$                               d)  $x^2 \log_e^{10}$

Q34B) The greatest value of  $\sin^3 x + \cos^3 x$  is

- a) 1    b) 2  
 c)  $\sqrt{2}$                                       d)  $\sqrt{3}$

Q35B) If  $f(x) = \frac{\sin x}{e^x}$  in  $[0, \pi]$ , then  $f(x)$ :

- a) Satisfies Rolle's theorem but  $f'(\frac{\pi}{4}) \neq 0$   
 b) Does not satisfy Rolle's theorem but  $f'(\frac{\pi}{4}) > 0$   
 c) Satisfies Rolle's theorem and  $C = \frac{\pi}{4}$  so that  $f'(\frac{\pi}{4}) = 0$   
 d) Satisfies langranges mean value theorem but  $f'(\frac{\pi}{4}) \neq 0$

Q36B) The function  $f(x) = 1 - x^3$

- a) Increases everywhere  
 b) Decreases in  $(0, \infty)$   
 c) Increases in  $(0, \infty)$   
 d) None of these

Q37B)  $\int \frac{\log(\tan x)}{\sin x \cos x} dx =$

- a)  $[\log_e(\tan x)]^2 + C$                       b)  $\log(\log \tan x) + C$   
 c)  $\frac{1}{2} [\log_e(\tan x)]^2 + C$                       d)  $\log(\tan x) + C$

Q38B)  $\int_0^\pi \cos^3 x dx =$

- a) 0    b) 1  
 c) -1    d)  $\frac{1}{2\sqrt{2}}$

Q39B)  $\int_0^a \sqrt{a^2 - x^2} dx =$

- a)  $\frac{1}{3} \pi a^2$                                       b)  $\frac{1}{4} \pi a^2$   
 c)  $\frac{\pi a^2}{2}$     d)  $\pi a^2$

Q40B) The area bounded by the curves

$y = 3x$  and  $y = x^2$  (in square units) is

- a) 10    b) 5  
 c) 4    d) None of these

Q41B) The order of the differential equation

$\left[\frac{dy}{dx}\right]^3 + \left[\frac{dy}{dx}\right]^2 + y^4 = 0$  is

- a) 4    b) 2  
 c) 1    d) 3



Q42B) The solution of  $\frac{dy}{dx} + y = e^x$  is  
 a)  $2y = e^{2x} + C$       b)  $2y e^x = e^x + C$   
 c)  $2y e^x = e^{2x} + C$       d) None of these

Q43B) If the centroid of the triangle formed by the points  $(0,0)$ ,  $(\cos \theta, \sin \theta)$  and  $(\sin \theta, -\cos \theta)$  lies on the line  $y = 2x$  then  $\theta =$   
 a)  $\tan^{-1}(2)$       b)  $\tan^{-1}(-2)$   
 c)  $\tan^{-1}(3)$       d)  $\tan^{-1}(-3)$

Q44B) If 3,4 are intercepts of a line  $L = 0$ , Then the distance of  $L = 0$  from the origin is  
 a) 5      b)  $\frac{12}{5}$   
 c)  $\frac{5}{12}$       d) 12

Q45B) The other end of the diameter through the point  $(-1,1)$  on the circle  $x^2 + y^2 - 6x + 4y - 12 = 0$  is  
 a)  $(-7,5)$       b)  $(-7,-5)$   
 c)  $(7,-5)$       d)  $(7,5)$

Q46B) If  $x + y = k$  is a tangent to the parabola  $y^2 = 12x$  then  $k =$   
 a) 9      b) -9  
 c) -3      d) 3

Q47B) If in a hyperbola, the distance between the foci is 10 and the transverse axis has length 8, then the length of its latusrectum is  
 a) 9      b)  $\frac{9}{2}$   
 c)  $\frac{32}{3}$       d)  $\frac{64}{3}$

Q48B) A point P moves so that sum of its distances from  $(-ae, 0)$  and  $(ae, 0)$  is  $2a$ , then the locus of P is  
 a)  $\frac{x^2}{a^2} - \frac{y^2}{a^2(1-e^2)} = 1$       b)  $\frac{x^2}{a^2} + \frac{y^2}{a^2(1-e^2)} = 1$   
 c)  $\frac{x^2}{a^2} + \frac{y^2}{a^2(1+e^2)} = 1$       d)  $\frac{x^2}{a^2} - \frac{y^2}{a^2(1+e^2)} = 1$

Q49B) If  $x_1, x_2, \dots, x_{18}$  are observations such that  

$$\sum_{j=1}^{18} (x_j - 8) = 9 \text{ and } \sum_{j=1}^{18} (x_j - 8)^2 = 45,$$
 then the standard deviation of these observations is  
 a)  $\frac{3}{2}$       b) 5  
 c)  $\sqrt{5}$       d)  $\sqrt{\frac{81}{34}}$

Q50B) Mean of 100 items is 49. It was discovered that three items which should have been 60, 70, 80 were wrongly read as 40, 20, 50 respectively. The correct mean is  
 a) 48      b) 50  
 c) 80      d) 40

Q51B) Which of the following is not a measure of central tendency  
 a) Mean      b) Median  
 c) Mode      d) Range

Q52B) A drawer contains 5 brown socks and 4 blue socks well mixed. A man reaches the drawer and pulls out 2 socks at random. The probability that they match is  
 a)  $\frac{4}{9}$       b)  $\frac{5}{9}$   
 c)  $\frac{5}{8}$       d)  $\frac{5}{12}$

Q53B) Events  $A, B, C$  are mutually exclusive events such that  $P(A) = \frac{3x+1}{3}$ ,  
 $P(B) = \frac{1-x}{4}$  and  $P(C) = \frac{1-2x}{2}$   
 The set of possible values of  $x$  are in the interval  
 a)  $[\frac{1}{3}, \frac{1}{2}]$       b)  $[\frac{1}{3}, \frac{2}{3}]$   
 c)  $[\frac{1}{3}, \frac{13}{3}]$       d)  $[0, 1]$

Q54B) The Mean and Variance of a random variable  $X$  having a Binomial distribution are 4 and 2 respectively then  $P(x > 6) =$   
 a)  $\frac{1}{256}$       b)  $\frac{3}{256}$   
 c)  $\frac{9}{256}$       d)  $\frac{7}{256}$

Q55B) A, B, C, D, E, F in that order are the vertices of a regular hexagon with centre origin. If the position vector of vertices A and B are  $4\hat{i} + 3\hat{j} - \hat{k}$  and  $-3\hat{i} + \hat{j} + \hat{k}$  respectively, then  $\vec{DE} =$   
 a)  $7\hat{i} + 2\hat{j} - 2\hat{k}$       b)  $-7\hat{i} - 2\hat{j} + 2\hat{k}$   
 c)  $3\hat{i} - \hat{j} - \hat{k}$       d)  $-4\hat{i} - 3\hat{j} + \hat{k}$

Q56B) If  $4|\vec{a}| = 12|\vec{b}| = 3|\vec{c}| = 12$  and  $\vec{a} + \vec{b} + \vec{c} = 0$ , then  $\vec{a} \cdot \vec{b} + \vec{b} \cdot \vec{c} + \vec{c} \cdot \vec{a} =$   
 a) -8      b) 8  
 c) 13      d) -13

Q57B) If  $\hat{i} - \hat{k}$ ,  $\lambda \hat{i} + \hat{j} + (1 - \lambda)\hat{k}$  and  $\mu \hat{i} + \lambda \hat{j} + (1 + \lambda - \mu)\hat{k}$  are three co-terminal edges of a parallelepiped, then its volume depend on

a) Only  $\lambda$                       b) Only  $\mu$   
 c) Both  $\lambda$  and  $\mu$               d) Neither  $\lambda$  nor  $\mu$

Q58B) The angle between the lines with direction ratios  $(4, -3, 5)$  and  $(3, 4, 5)$  is

a)  $\frac{\pi}{2}$                                   b)  $\frac{\pi}{3}$   
 c)  $\frac{\pi}{4}$                                   d)  $\frac{\pi}{6}$

Q59B) If the foot of the perpendicular from  $(0, 0, 0)$  to a plane is  $(1, 2, 2)$ , then the equation of the plane is

a)  $-x + 2y + 8z - 9 = 0$   
 b)  $x + 2y + 2z - 9 = 0$   
 c)  $x + y + z - 5 = 0$   
 d)  $x + 2y - 3z + 1 = 0$

Q60B) The line  $\frac{x-1}{2} = \frac{y-2}{3} = \frac{z-3}{4}$  meets the plane  $2x + 3y - z = -4$  in the point

a)  $(1, 2, 3)$                       b)  $(-1, -1, -1)$   
 c)  $(2, 1, 3)$                       d)  $(1, 1, 1)$

### SECTION-B PHYSICS (61-120)

Q61) A missile is launched with a velocity less than the escape velocity. The sum of its kinetic and potential energy is

a) Positive  
 b) Negative  
 c) Zero  
 d) may be positive or negative

Q62) The point at which the gravitational force acting on any mass is zero due to the Earth and the Moon system is (The mass of the Earth is approximately 81 times the mass of the Moon and the distance between the Earth and the Moon is 3,85,000km.)

a) 36,000 km from the moon.  
 b) 38,500 km from the moon.  
 c) 34,500 km from the moon.  
 d) 30,000 km from the moon.

Q63) If a body of mass  $m$  is taken out from a point below the surface of earth equal to half the radius of earth,  $R$ , to a height  $R$  above the earth's surface, then work done on it will be

a)  $(5/6) mgR$                       b)  $(6/7) mgR$   
 c)  $(7/8) mgR$                       d)  $(8/9) mgR$

Q64) A body of mass 1 kg is attached to one end of a wire and rotated in horizontal circle of diameter 40 cm with a constant speed of 2 m/s. what is the area of cross-section of the wire if the stress developed in the wire is  $5 \times 10^6 \text{ N/m}^2$ ?

a)  $2 \text{ mm}^2$                           b)  $3 \text{ mm}^2$   
 c)  $4 \text{ mm}^2$                           d)  $5 \text{ mm}^2$

Q65) In a wire, when elongation is 2 cm energy stored is  $E$ . if it is stretched by 10 cm, then the energy stored will be

a)  $E$                                       b)  $2E$   
 c)  $20E$                                   d)  $25E$

Q66) A rocket is fired from the earth to the moon. The distance between the earth and the moon is  $r$  and the mass of the earth is 81 times the mass of the moon. The gravitational force on the rocket will be zero, when its distance from the moon is

a)  $r/5$                                       b)  $r/10$   
 c)  $r/15$                                       d)  $r/20$

Q67) A body has weight  $W$  on the ground. The work which must be done to lift it to a height equal to the radius of earth  $R$  is

a) Equal to  $W \times R$   
 b) Greater than  $W \times R$   
 c) Less than  $W \times R$   
 d) Cannot be estimated

Q68) A Carnot engine uses first an ideal monoatomic gas ( $\gamma=5/3$ ) and then an ideal diatomic gas ( $\gamma=7/5$ ) as its working substance. The source and sink temperatures are  $411^\circ\text{C}$  and  $69^\circ\text{C}$  respectively and the engine extract 1000 J of heat from the source in each cycle. Then,

a) the efficiencies in the two engines are in the ratio 21:25.  
 b) the area enclosed by the P-V diagram in the first case only is 500J.  
 c) the area enclosed by the P-V diagram in the both cases is 500J.  
 d) the heat energy rejected by the engine in the first case is 600J while in the second case is 714.3J.

Q69) Heat is absorbed by a body but its temperature does not rise. Which of the following statement explains the phenomenon

a) Only K.E. of vibration increases.  
 b) Only P.E. on inter molecular force changes  
 c) No increase in internal energy takes place  
 d) Increase in Kinetic energy is balanced by decrease in potential energy.

Q70) Two chambers, one containing  $m_1$  gm of a gas at  $P_1$  pressure and other containing  $m_2$  gm of a gas at  $P_2$  pressure, are put in communication with each other. If temperature remains constant, the common pressure reached will be

- a)  $\frac{P_1 P_2 (m_1 + m_2)}{P_2 m_1 + P_1 m_2}$       b)  $\frac{m_1 m_2 (P_1 + P_2)}{P_2 m_1 + P_1 m_2}$   
 c)  $\frac{P_1 P_2 m_1}{P_2 m_1 + P_1 m_2}$       d)  $\frac{P_2 m_1 m_2}{P_2 m_1 + P_1 m_2}$

Q71) At a given temperature and pressure 64 gm of Oxygen and X gm of  $H_2$  occupy the same volume. Then  $X = \dots$  gm

- a) 1                                      b) 2  
 c) 3                                      d) 4


Q72) A closed hollow insulated cylinder is filled with gas at  $0^\circ C$  and also contains an insulated piston of negligible weight and negligible thickness at the middle point. The gas at one side of the piston is heated to  $100^\circ C$ . If the piston moves 5cm, the length of the hollow cylinder is

- a) 13.65 cm                              b) 27.3 cm  
 c) 64.6 cm                                d) 54.6 cm

Q73) Two simple Harmonic Motions of angular frequency 100 and  $1000 \text{ rad S}^{-1}$  have the same displacement amplitude. The ratio of their maximum accelerations is :

- a)  $1:10^3$                                       b)  $1:10^4$   
 c)  $1:10$                                         d)  $1:10^2$

Q74) If a positively charged pendulum is oscillating in a uniform electric field as shown in figure. Its time period of SHM as compared to that when it was uncharged.



- a) Will increase  
 b) Will decrease  
 c) Will not change  
 d) Will first increase then decrease

Q75) Three waves of equal frequency having amplitudes 10 mm, 4 mm and 7 mm arrive at a given point with successive phase difference  $\frac{\pi}{2}$ . The amplitude of the resulting wave (in mm) is given by:

- a) 7    b) 6  
 c) 5    d) 4

Q76) Which of the following is true about light?


- I It is electromagnetic wave  
 II It does not propagate in vacuum  
 III Its maximum speed is approximately  $3 \times 10^8 \text{ m/s}$   
 a) I only                                      b) I and II only  
 c) I and III only                            d) I, II, and III

Q77) The speed of light in a certain material is 50% of its speed in vacuum. What is the refractive index of the material?

- a) 1.5                                        b) 0.5  
 c) 6.0                                        d) 2

Q78) Parallel rays of light strike a convex lens.

Which of the following diagrams show what happens to the rays when they strike the lens?



Q79) An object of height 10 cm is placed 50 cm in front of a bi-convex lens with a focal length of 20 cm. Which of the following is true about the image?

- I The image is virtual  
 II The image is situated on the opposite side as the object  
 III The image is inverted  
 a) I only                                      b) I and II only  
 c) II and III only                            d) II only

Q80) For an object in front of a plane mirror, which of the following about its images is (are) true?

- I The image is real  
 II The image is upright  
 III The height of the image is twice the image of the object  
 a) I, II and III                              b) I and II only  
 c) II only                                      d) I and III only

Q81) What is the de Broglie wavelength of an electron which is accelerated through a potential difference of 10 kV.

- a) 0.1227 Å                                      b) 3.88 Å  
 c) 0.388 Å                                      d) 1.227 Å

Q82) The radius of the 5th orbit of hydrogen atom is  $13.25 \text{ \AA}$ . Calculate the wavelength of the electron in the 5th orbit.

- a) 83.21 Å                                      b) 16.64 Å  
 c) 20.8 Å                                        d) 3.33 Å

- Q83) Find the (i) angular momentum (ii) velocity of the electron in the 5th orbit of hydrogen atom. ( $h = 6.6 \times 10^{-34}$  Js,  $m = 9.1 \times 10^{-31}$  kg)
- Angular momentum =  $10.5 \times 10^{-34}$  kg m<sup>2</sup>s<sup>-1</sup>, velocity =  $4.4 \times 10^5$  ms<sup>-1</sup>
  - Angular momentum =  $10.5 \times 10^{-34}$  kg m<sup>2</sup>s<sup>-1</sup>, velocity =  $2.2 \times 10^5$  ms<sup>-1</sup>
  - Angular momentum =  $5.25 \times 10^{-34}$  kg m<sup>2</sup>s<sup>-1</sup>, velocity =  $4.4 \times 10^5$  ms<sup>-1</sup>
  - Angular momentum =  $5.25 \times 10^{-34}$  kg m<sup>2</sup>s<sup>-1</sup>, velocity =  $2.2 \times 10^5$  ms<sup>-1</sup>
- Q84) Calculate the number of nuclei of carbon-14 undecayed after 22,920 years if the initial number of carbon-14 atoms is 10,000. The half-life of carbon-14 is 5730 years.
- 1432
  - 358
  - 1074
  - 625
- Q85) A hydrogen atom is excited by radiation of wavelength 97.5 nm. Find the principal quantum number of the excited state.
- 4
  - 3
  - 5
  - 2
- Q86) Half-lives of two radioactive elements A and B are 20 minutes and 40 minutes respectively. Initially, the samples have equal number of nuclei. Calculate the ratio of decayed numbers of A and B nuclei after 80 minutes.
- 4/5
  - 5/4
  - 2/3
  - 3/2
- Q87) When a PN junction is forward biased
- Depletion region decreases
  - Minority carriers are not affected
  - Holes and electrons move away from junction
  - All of above
- Q88) Which type of special purpose diode is formed by a metal and semiconductor?
- Varactor
  - Tunnel
  - Zener
  - Schottky
- Q89) A semiconductor in its purest form is known as
- Superconductor
  - Insulator
  - Intrinsic semiconductor
  - Extrinsic semiconductor
- Q90) On which principle optical fiber works?
- Scattering of light
  - Total internal reflection
  - Total internal absorption
  - Optical rotation
- Q91) An object of mass 3kg at rest. Now a force of  $\vec{F} = 6t^2\hat{i} + 4t\hat{j}$  is applied on the object, then velocity of object at  $t = 3$  s is:  $18\hat{i} + 6\hat{j}$
- $18\hat{i} + 3\hat{j}$
  - $18\hat{i} + 6\hat{j}$
  - $3\hat{i} + 18\hat{j}$
  - $18\hat{i} + 4\hat{j}$
- Q92) A mass of 1Kg is thrown up with a velocity of 100m/s. After 5 sec, it explodes into two parts. One part of mass 400mg comes down with a velocity of 25 m/s. The velocity of other part is: (Take  $g = 10\text{m/s}^2$ )
- 40m/s
  - 80m/s
  - 100m/s
  - 60m/s
- Q93) A block of mass 10kg placed on rough horizontal surface having coefficient of friction  $\mu = 0.5$ , if the horizontal force of 100N acting on it, then acceleration of the block will be
- $10\text{m/s}^2$
  - $5\text{m/s}^2$
  - $15\text{m/s}^2$
  - $0.5\text{m/s}^2$
- Q94) A shell of mass 200gm is ejected from a gun of mass 4 Kg by an explosion that generates 1.05KJ of energy. The initial velocity of shell is:
- 40m/s
  - 120m/s
  - 100m/s
  - 80m/s
- Q95) The potential energy of a long spring when stretched by 2 cm is U. If the spring is stretched by 8 cm, the potential energy stored in it is:
- U/4
  - 4U
  - 8U
  - 16U
- Q96) Two identical balls A and B having velocities of 0.5m/s and 0.3m/s respectively collide elastically in one dimension. The velocities of B and A after the collision respectively will be
- 0.5m/s and 0.3m/s
  - 0.5m/s and -0.3m/s
  - 0.3m/s and 0.5m/s
  - 0.3m/s and 0.5m/s
- Q97) If the magnitude of sum of two vectors is equal to the magnitude of difference of two vectors, the angle between these vectors is:
- 45°
  - 180°
  - 0°
  - 90°
- Q98) The particle has initial velocity  $(3\hat{i} + 4\hat{j})$  and has acceleration  $(0.4\hat{i} + 0.3\hat{j})$ . Its speed after 10 sec is:
- 7 units
  - $7\sqrt{2}$  units
  - 8.5 units
  - 10 units

Q99) The horizontal range and the maximum height of the projectile are equal. The angle of projection of projectile is:

- a)  $\theta = \tan^{-1}(1/4)$       b)  $\theta = \tan^{-1}(4)$   
 c)  $\theta = \tan^{-1}(2)$       d)  $\theta = 45^\circ$

Q100)  $\vec{A}$  and  $\vec{B}$  are two vectors and  $\theta$  is the angle between them, if  $|\vec{A} \times \vec{B}| = \sqrt{3} (\vec{A} \cdot \vec{B})$ , the value of  $\theta$  is

- a)  $45^\circ$       b)  $30^\circ$   
 c)  $90^\circ$       d)  $60^\circ$

Q101) A rod of length 3cm and its mass per unit length is directly proportional to the distance  $x$  from one of its ends then its centre of gravity from that end will be

- a) 1.5m      b) 2m  
 c) 2.5m      d) 3m

Q102) The moment of Inertia of a disc of mass  $M$  and radius  $R$  about an axis, which is tangential to the circumference of the disc and parallel to its diameter is:

- a)  $\frac{5}{4}MR^2$       b)  $\frac{1}{2}MR^2$   
 c)  $\frac{3}{2}MR^2$       d)  $\frac{4}{5}MR^2$

Q103) Which of the following have the same dimensions as planks constant?

- a) Moment of Momentum  
 b) Moment of force  
 c) Momentum/distance  
 d) Force/distance

Q104) A body under the action of a force  $\vec{F} = 6\hat{i} - 8\hat{j} + 10\hat{k}$  acquires an acceleration of  $1\text{m/s}^2$ . The mass of this body must be:

- a) 10 Kg      b) 20 Kg  
 c)  $10\sqrt{2}$  Kg      d)  $2\sqrt{10}$  Kg

Q105) If Energy (E), Velocity (V), and Time (T) are chosen as the fundamental quantities. The dimensional formula of Surface Tension is:

- a)  $[E V^{-2} T^{-1}]$       b)  $[E V^{-1} T^{-2}]$   
 c)  $[E V^{-2} T^{-2}]$       d)  $[E^{-2} V^{-1} T^{-3}]$

Q106) The force between the two charges is 240N. If the distance between the charges is doubled, the force will be

- a) 60N      b) 90N  
 c) 120N      d) 160N

Q107) What will be the flux coming out of any surface a cube, if a charge  $Q\mu\text{C}$  is placed at the centre of the cube?

- a)  $\frac{Q}{6\epsilon_0} \cdot 10^{-3}$       b)  $\frac{Q}{24\epsilon_0}$   
 c)  $\frac{Q}{8\epsilon_0}$       d)  $\frac{Q}{6\epsilon_0} \cdot 10^{-6}$

Q108) What does an electric dipole experience when it is kept in the non-uniform electric field?

- a) Only a force  
 b) Only torque  
 c) Force and torque both  
 d) Neither force nor torque

Q109) The capacitance of the capacitor is independent of

- a) The charges present on the plate  
 b) The distance of separation between the plates  
 c) The shape of the plates  
 d) The size of the plates

Q110) Consider two capacitances of capacity  $C_1$  and  $C_2$  which are connected in series and have potential difference  $V$ . What is the potential difference across  $C_1$ ?

- a)  $(\frac{C_1}{C_1+C_2}) \cdot V$       b)  $(\frac{C_1+C_2}{C_1}) \cdot V$   
 c)  $(\frac{C_2}{C_1}) \cdot V$       d)  $(\frac{C_2}{C_1+C_2}) \cdot V$

Q111) The resistivity of certain metals or alloys drops to zero when they are cooled below a certain temperature, this phenomenon is known as \_\_\_\_\_.

- a) Conductivity  
 b) Partial conductivity  
 c) Superconductivity  
 d) Non-conductivity

Q112) In a Wheatstone bridge if the battery and galvanometer are interchanged then the deflection in galvanometer will

- a) change in previous direction  
 b) not change  
 c) change in opposite direction  
 d) none of these.

Q113) When a straight conductor is carrying current:

- a) There are circular magnetic field lines around it  
 b) There are magnetic field lines parallel to the conductor  
 c) There are no magnetic field lines  
 d) None of the above

Q114) The magnetic field inside a long straight solenoid carrying current:

- Is zero
- Decrease as we move towards its end
- Is same at all points
- Increase as we move towards its end

Q115) For which of the following is magnetic susceptibility negative?

- Paramagnetic and Ferromagnetic materials
- Paramagnetic Materials only
- Ferromagnetic Materials only
- Diamagnetic Materials

Q116) What is the need for laminating the core of a transformer?

- To reduce the resistance in the winding
- To reduce the eddy currents
- To reduce the hysteresis
- None of the above

Q117) A magnet is moved towards a coil (i) quickly (ii) slowly, then the induced e.m.f. is

- larger in case (i)
- smaller in case (i)
- equal to both the cases
- larger or smaller depending upon the radius of the coil

Q118) Electromagnetic waves are produced by

- A static charge
- An accelerated charge
- A moving charge
- Charged particles

Q119) The direction in which electromagnetic waves propagate is the same as that of

- $\vec{E} \times \vec{B}$
- $\vec{B} \times \vec{E}$
- $\vec{E}$
- $\vec{B}$

Q120) The ratio of the amplitude of the magnetic field to the amplitude of the electric field for electromagnetic wave propagation in a vacuum is equal to

- Unity
- Speed of light in vacuum
- Reciprocal of the speed of light in vacuum
- The ratio of magnetic permeability to electrical susceptibility in a vacuum.

### SECTION-C CHEMISTRY(121-180)

Q121) Which of the following is not a law of chemical combination?

- Law of Multiple Proportions
- Avogadro's Law
- Law of Definite Proportion
- Law of Conservation of volume

Q122) According to Bohr model of hydrogen atom, relation between principal quantum number  $n$  and radius  $r$  of stable orbit:

- $r \propto \frac{1}{n}$
- $r \propto n$
- $r \propto \frac{1}{n^2}$
- $r \propto n^2$

Q123) The position and velocity of small particle like electron cannot be simultaneously determined. This statement is for

- Heisenberg uncertainty principle
- Principle of de Broglie's wave nature of electron
- Pauli's exclusion principle
- Aufbau's principle

Q124) Le Chatelier Principle is applicable to

- Heterogeneous reaction
- Homogeneous reaction
- Irreversible reactions
- System in equilibrium

Q125) Ostwald's dilution law is applicable to

- Strong electrolytes only
- Weak electrolytes only
- Non-electrolytes
- Strong as well as weak electrolytes

Q126) What is the pH of 0.0001 molar  $HCl$  solution

- 1
- 2
- 3
- 4

Q127) Which of the following is not a type of Basic buffer mixture?

- $NH_4OH$
- $NH_4Cl$
- $H_2CO_3 + Na_2CO_3$
- Glycine + Glycine hydrochloride

Q128) What effect does temperature have on the half-life of a first-order reaction?

- It increases
- It decreases
- It remains the same
- Both increases as well as decrease

Q129) The unit of rate constant for second order reaction is

- litre mole<sup>-2</sup> sec<sup>-2</sup>
- litre mole<sup>-2</sup> sec<sup>-1</sup>
- litre
- litre mole<sup>-1</sup> sec<sup>-1</sup>

Q130) Which condition holds for the ideal solution?

- Change in volume is zero
- Change in volume is non-zero
- Change in enthalpy is non-zero
- None of the above

- Q131) The van't Hoff factor for a compound that undergoes dissociation and association in a solvent is respectively
- Less than one and less than one
  - Greater than one and less than one
  - Greater than one and greater than one
  - Less than one and Greater than one
- Q132) What will be the value of  $\Delta H$ , if the forward and reverse reactions have the same energy of activation?
- $\Delta H = \Delta G = \Delta S = 0$
  - $\Delta S = 0$
  - $\Delta G = 0$
  - $\Delta H = 0$
- Q133) Hess's law states that a chemical reaction is independent of the route by which chemical reaction takes place while keeping the same
- Initial conditions only
  - Final conditions only
  - Mid-conditions
  - Initial and final conditions
- Q134) The enthalpy of formation of  $\text{CO}_2(\text{g})$ ,  $\text{H}_2\text{O}(\text{l})$  and Propene(g) are -395.5, -285.8 and 20.42KJ mol<sup>-1</sup> respectively. The enthalpy change for the combustion of cyclopropane at 298K will be (The enthalpy of isomerisation of cyclopropane to propane is -33.0KJ mol<sup>-1</sup>)
- 1021.32 KJ mol<sup>-1</sup>
  - 20911.32 KJ mol<sup>-1</sup>
  - 5021.32 KJ mol<sup>-1</sup>
  - 3141.32 KJ mol<sup>-1</sup>
- Q135) The correct relationship between free energy change in a reaction and the corresponding equilibrium constant  $K_C$  is
- $-\Delta G = RT \ln K_C$
  - $\Delta G^\circ = RT \ln K_C$
  - $-\Delta G^\circ = RT \ln K_C$
  - $\Delta G = RT \ln K_C$
- Q136) Oxidation number of P in  $\text{PO}_4^{3-}$ , of S in  $\text{SO}_4^{2-}$  and that of Cr in  $\text{Cr}_2\text{O}_7^{2-}$  are respectively:
- +3, +6 and +5
  - +5, +3 and +6
  - +3, +6 and +6
  - +5, +6 and +6
- Q137) What is the number of electrons transferred in an equation if the Nernst equation is  $E(\text{cell}) = E^\circ(\text{cell}) - 9.83 \times 10^{-3} \times \log_{10}(\text{Anode/Cathode})?$
- 2
  - 6
  - 4
  - 1
- Q138) Which of the following is a specific conductivity reagent?
- KCl
  - HCl
  - NaCl
  - MgCl<sub>2</sub>
- Q139) Schottky defect in a crystal is observed when
- The ion leaves its normal position and occupies an interstitial location
  - The unequal number of cations and anions are missing from the lattice
  - The density of the crystal increases
  - An equal number of cations and anions are missing from the lattice
- Q140) What is the process of producing electric dipoles inside the dielectric by an external electric field
- Polarisation
  - Dipole moment
  - Susceptibility
  - Magnetisation
- Q141) Which of the following metals would have the highest packing efficiency
- Copper
  - Potassium
  - Chromium
  - Polonium
- Q142) How the crystal classified
- According to place of origin
  - According to the position of the unit cell
  - According to the symmetry of the unit cell
  - According to the purity of the unit cell
- Q143) Which of the following isotherm is applicable to physical adsorption?
- Langmuir
  - BET
  - Freundlich
  - Kisluik
- Q144) Polymers are not classified on the basis of which of the following
- Source
  - Number of monomers
  - Method of preparation
  - Structure
- Q145) Which one will have the highest 2<sup>nd</sup> ionisation energy?
- $1s^2 2s^2 2p^6 3s^1$
  - $1s^2 2s^2 2p^4$
  - $1s^2 2s^2 2p^6$
  - $1s^2 2s^2 2p^6 3s^2$
- Q146) Atomic radii \_\_\_\_\_ along the periods
- Increases
  - Decreases
  - Remains constant
  - Irregular
- Q147) Molecular orbitals are filled according to
- Aufbau's principle
  - Hund's rule
  - Pauli's Exclusion Principle
  - All these
- Q148) The maximum number of 90° angles between bond pair-bond pair of electrons is observed in
- $\text{dsp}^2$  hybridisation
  - $\text{sp}^3\text{d}$  hybridisation
  - $\text{dsp}^3$  hybridisation
  - $\text{sp}^3\text{d}^2$  hybridisation





Q170) When phenol is treated with excess bromine water it gives

- a) m-bromophenol
- b) o-and p-bromophenol
- c) 2,4-dibromophenol
- d) 2,4,6 tribromophenol

Q171) How are alcohols prepared from haloalkanes?

- a) By treating with concentrated  $H_2SO_4$
- b) By heating with aqueous NaOH
- c) By treating with a strong reducing agent
- d) By treating with Mg metal

Q172) Iodoform can be prepared from all except:

- a) isopropyl alcohol
- b) 3-methyl-2-butanone
- c) isobutyl alcohol
- d) ethyl methyl ketone

Q173) Aqueous NaOH solution is added to a mixture of benzaldehyde and formaldehyde to produce

- a) Benzyl alcohol + sodium formate
- b) Sodium benzoate + methanol
- c) Benzyl alcohol + methanol
- d) Sodium benzoate+sodium formate

Q174) Carboxylic acid on reduction with HI/ phosphorous yields

- a) Alkane
- b) Alcohols
- c) Aldehydes
- d) Ketones

Q175) What will be the reactivity order of the following with water?

- a) Acid halide > ester > acid anhydride > amide
- b) Acid anhydride > amide > acid halide > ester
- c) Amide > ester > acid anhydride > acid halide
- d) Acid halide > acid anhydride > ester > amide

Q176) Which of the following is used as a reactant for the nitration of benzene to form nitrobenzene?

- a)  $HNO_2$
- b)  $HNO_3$
- c) Mixture of  $HNO_2$  and  $HNO_3$
- d) Mixture of  $HNO_3$  and  $H_2SO_4$

Q177) Which of the following statements concerning methylamine is correct?

- a) Methyl amine is stronger base than  $NH_3$
- b) Methyl amine is less basic than  $NH_3$
- c) Methyl amine is slightly acidic
- d) Methyl amine forms salts with alkali

Q178) Glucose will show mutarotation when solvent is

- a) Acidic
- b) Basic
- c) Amphoteric
- d) Neutral

Q179) Beriberi is caused due by the deficiency of-

- a) Vitamin C
- b) Vitamin B2
- c) Vitamin B
- d) Vitamin B1

Q180) Which of the following Greenhouse Gases is Present in Very High Quantities?

- a) Carbon dioxide
- b) Ethane
- c) Propane
- d) Methane