

Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

<b>District</b>		T A 7		
LUCTRICT	•		/ 11	/
District	•			

No. AUJ/Agromet/GKMS/25-26/220 - 23	Bulletin No:07/2025-26	Dated:22-04-2025
Phone:0191-2958213	Website: www.skuast.org	Fax: 0191-2263891

## Weather summary of previous 5 days 17<sup>th</sup> to 21<sup>st</sup> April March, 2025)

Range of Max. Temperature (°C)	35.4 - 37.2
Range of Min. Temperature ( <sup>0</sup> C)	17.5 - 24.0
Range of Relative Humidity (%)	27 – 75
Rainfall (mm)	7.0

Ensembled forecast for next 5 days (0830 hrs 23<sup>rd</sup> to 27<sup>th</sup> April, 2025)

Date	Rainfall (mm)	Tmax (°C)	Tmin (°C)	RH Morning (%)	RH Evening (%)	Wind Speed (kmph)	Wind Direction (°)	Cloud Cover (Octa)
23-04-2025	0	36	22	35	30	2	5	1
24-04-2025	0	37	22	35	30	2	17	1
25-04-2025	0	36	22	40	30	2	15	3
26-04-2025	0	36	24	40	30	2	15	3
27-04-2025	0	35	23	35	30	2	12	2

Sky may remain fair to partially cloudy for next five days. The Maximum Temperature may range from 35°C to 37°C while the Minimum Temperature may range from 22°C to 24°C .Wind may blow in North Northeast with the Speed of 2 km/hr. The morning relative humidity may range from 35% to 40% and evening relative humidity may remain 30% during this period.

As per Extended Range Forecast (ERF), Rainfall and Maximum Temperature may remain below normal limits whereas Minimum Temperature may remain moderately below normal limits in J&K Subdivision wef 27-04-2025 to 03-05-2025.

Weather Forecast Based Agromet Advisories W.E.F 0830 hrs 23 <sup>rd</sup> to 27 <sup>th</sup> April, 2025						
Crop	Stage/Cultural	Weather based Agro- advisories				
_	Operation					
Wheat						
Early & normal	Physiological	Crop is at physiological maturity. Harvest the mature crop in order				
sown	maturity/harvesting/	to prevent the shattering of grains. Threshing of crop is				
	threshing	recommended after proper drying for 2-3 days.				
Oilseeds	Harvesting/threshing	Threshing of mustard crop, is not threshed yet, is recommended.				
Mustard						
Pulses						
Summer pulses	Sowing	Farmers may complete sowing of Summer Moong and Mash				
(moong/mash)	-	without any further delay with seed @ 1kg/kanal.				
Gram/lentil/Field	Harvesting/threshing	Harvesting and threshing of crop is recommended.				
pea						
Fodder						
Summer fodder	Sowing	Farmers may go for sowing of mixed summer fodder				
		(maize+cowpea+charri) and bajra.				
Vegetables:		Give Irrigation as per requirement of different vegetable crops.				
Tomato/chilly	Flowering/fruiting	Monitor tomato crop for leaf curl. Remove virus infected plants.				
		Spray imidacloprid @ 0.5ml/lt of water to check further spread of				
		disease by whitefly.				
Cucurbits	Vegetative	Black spots on leaves and drying of vines due to Downey mildew,				
		restrict irrigation to the crop. Spray metalaxyl in combination with				



Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

		carbendazim @ 1gm /lt at 7 days interval to control the disease.
Floriculture		
Chrysanthemum	Mother Stock	Grooming of mother plant is recommended.
XXV . XX . 11	G 1	
Winter Marigold	Seed maturation	Immediate harvesting of seed is recommended.
Summer season	Flowering	Provide Shade net to protect from scorching heat
marigold		
Button		
mushroom		
Oyster mushroom	Spawn run	Open the bags after complete Spawn run (15-20 days). Maintain temperature to 22-28°C and humidity to 85-90%.
Button Mushroom		Temperature to be maintained for Button Mushroom produced in
Button Washroom	Fruiting	upper reaches of Jammu region is 16-18 <sup>o</sup> C and humidity to be maintained at 85-90%.
Horticulture:	Young/ Bearing	White wash the tree trunks with slaked lime and copper sulphate
Mango/Citrus/		against sunburn and fungal diseases.
Guava		Spray 2,4-D @ 10ppm against citrus fruit drop in citrus.
		Spray dimethoate @1ml/lt against hoppers in mango.
Sericulture	Harvested cocoon	Keep the bags in wire mesh covered racks to avoid rodent attack
Silkworm crop	crop	till marketing. Keep cocoon bags in well ventilated rooms to avoid
		dampness.
Apiculture		It is the right time to start bee keeping especially for beginners as
		pollen and nectar are in plenty and bee activity is at its peak.
		Migrate bee colonies near to floral resources and shady places.
		Prepare colonies for honey flow. Ensure water availability near
D 14		beehives.
Poultry		Avoid hurdling of chicks.
		Adequate clean drinking water should be available all the time.  Provide starter feed for first 14 days and provide finisher feed
		from 15 <sup>th</sup> day till sale.
		Proper hygiene should be maintained.
		Give vaccination against infectious bursal dermatitis IBD &
		Gumbroo at 7 <sup>th</sup> & 14 <sup>th</sup> day after birth.
Fisheries	Advance	Add supplementary feed (mustard oilcake and Rice/Wheat bran)
Carp farming	Fingerlings/ yearlings	@ 3% of total fish biomass on daily basis.
		Farmers may go for partial harvesting/sale of marketable size
		Farmers should go for liming (250-300kg/ha/yr) and manuring
		applications (10-20tons/ha/yr) at monthly interval in equal doses.
		Farmers who are going to stock new seeds of fish in next month
		may go for pre-stocking management practices such as dewatering
		and sun drying (if possible), liming, manuring etc.

# Ensembled Block Level Forecast for next 5 days (0830 hrs 23<sup>rd</sup> to 27<sup>th</sup> April, 2025) for district.

Chances of light rainfall at isolated places in Akhnoor, chowki chaura, dansal & Dick on 27 th April.

Rest of the blocks may experience light rainfall at isolated places on 26 th & Dril.

						RH		Wind	Cloud
DATE	BLOCK	Rain	Temp.	Temp.	RH Morn.	Even.	Wind Speed	Direction	Cover
	NAME	mm	Max °C	Min °C	(%)	(%)	(kmph)	(deg)	(octa)



## Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

, ,	ı	1	ı	ı	1	1	Í	1	1
23-04-2025	Akhnoor	0	35.8	19.5	45.8	22.6	13.2	29.3	0
24-04-2025	Akhnoor	0	35.7	19.2	38.6	21.3	12.9	30.1	3
25-04-2025	Akhnoor	0	36.4	19.5	37.5	20.4	12.4	29.5	1
26-04-2025	Akhnoor	0	36.9	20.2	35.5	19.9	13.5	34.1	3
27-04-2025	Akhnoor	0.1	36.1	21	37.7	24.2	10.6	28.3	4
23-04-2025	Arnia	0	38	21.6	39.3	20.4	6.4	26.5	0
24-04-2025	Arnia	0	38	21.1	33.8	19	5.5	31.6	2
25-04-2025	Arnia	0	38.7	21.2	30.7	18.6	6.5	19.4	1
26-04-2025	Arnia	0.1	39.4	22.2	30.2	18	7.1	40.9	2
27-04-2025	Arnia	0.1	39	22.7	33.6	21.7	5.6	26.5	4
23-04-2025	Bhalwal	0	35.4	19.2	46.1	22.6	14.1	32.4	0
24-04-2025	Bhalwal	0	35.2	18.9	38.6	21.3	13.5	34.1	3
25-04-2025	Bhalwal	0	36	19.2	37.6	20.5	13.3	32.8	1
26-04-2025	Bhalwal	0	36.5	20.1	35.5	20	14.2	35.7	3
27-04-2025	Bhalwal	0.1	35.6	20.7	38	24.4	12	32.7	4
23-04-2025	Bhalwal- Brahmana	0	36.1	20	39.9	22.1	9.3	15.6	0
24-04-2025	Bhalwal- Brahmana	0	36	19.1	34.6	20.5	8.6	14.6	3
25-04-2025	Bhalwal- Brahmana	0	36.8	19.2	33	19.8	8.9	14	1
26-04-2025	Bhalwal- Brahmana	0	37.2	20.7	33.3	19.6	8.6	22.2	3
27-04-2025	Bhalwal- Brahmana	0.1	36.2	21.2	36.2	23.7	7.6	19.3	4
23-04-2025	Bishnah	0	37.9	22	43.1	20.4	10.1	34.8	0
24-04-2025	Bishnah	0	37.8	21.1	38.3	19.3	8.2	37.8	2
25-04-2025	Bishnah	0	38.5	21.4	33.2	18.7	8.9	31.7	1
26-04-2025	Bishnah	0.1	39.2	22.8	31.7	18.4	10	37.7	2
27-04-2025	Bishnah	0.1	38.2	23.2	34.5	22.2	8.6	22.2	4
23-04-2025	Chowki-Choura	0	35.8	19.5	45.7	22.6	13.2	29.3	0
24-04-2025	Chowki-Choura	0	35.7	19.2	38.6	21.2	12.9	30.1	3
25-04-2025	Chowki-Choura	0	36.4	19.5	37.5	20.3	12.4	29.5	1
26-04-2025	Chowki-Choura	0	36.9	20.2	35.5	19.8	13.5	34.1	3
27-04-2025	Chowki-Choura	0.1	36.1	21	37.6	24.1	10.6	28.3	4
23-04-2025	Dansal	0	32.5	17.2	52.1	23.2	17.7	39.2	0
24-04-2025	Dansal	0	32.2	17.1	46.3	22.2	16.8	41.5	3
25-04-2025	Dansal	0	32.9	17.4	41.9	21.3	17.4	39.9	1
26-04-2025	Dansal	0	33.4	18.4	38.9	20.6	17.8	41.7	3
27-04-2025	Dansal	0.1	32.8	19.1	39.6	24.7	15.6	40.3	5
23-04-2025	Kharah-Balli	0	36.1	20	39.9	22.2	8.5	12.2	1
24-04-2025	Kharah-Balli	0	36.1	19.2	34.5	20.3	8.1	12.8	3
25-04-2025	Kharah-Balli	0	36.9	19.2	32.7	19.8	8.5	12.2	1
26-04-2025	Kharah-Balli	0	37.2	20.8	33.7	19.5	8.1	20.8	3
27-04-2025	Kharah-Balli	0.2	36.2	21.4	36.7	23.6	7.2	17.5	4
23-04-2025	Khour	0	37.9	21.9	43	20.2	9.4	32.4	0
24-04-2025	Khour	0	37.9	21.1	38.3	19.1	8	35.8	2
25-04-2025	Khour	0	38.6	21.2	33.2	18.6	8.7	29.7	1



### Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

26-04-2025	Khour	0.1	39.2	22.8	31.3	18.2	9.5	37.3	2
27-04-2025	Khour	0.1	38.4	23.2	34.5	21.7	8.1	20.8	4
23-04-2025	Maira-Mandrian	0	38	21.2	40	20.9	6.5	19.4	0
24-04-2025	Maira-Mandrian	0	38.1	20.8	33.5	19.3	5.8	21.8	2
25-04-2025	Maira-Mandrian	0	38.5	20.8	32.7	18.9	6.6	22.3	1
26-04-2025	Maira-Mandrian	0.1	39.1	21.9	32.8	18.5	6.6	29.3	3
27-04-2025	Maira-Mandrian	0.2	38.5	22.1	36.5	22.3	6.8	25.2	4
23-04-2025	Mandal-Phallain	0	37.9	21.7	43.6	20.7	9.4	32.4	0
24-04-2025	Mandal-Phallain	0	37.9	20.9	38.8	19.3	7.7	37.4	2
25-04-2025	Mandal-Phallain	0	38.6	21.1	33.6	18.8	8.7	29.7	1
26-04-2025	Mandal-Phallain	0.1	39.2	22.5	31.9	18.4	9	36.8	3
27-04-2025	Mandal-Phallain	0.1	38.4	22.9	35.1	22	7.3	11.3	4
23-04-2025	Marh	0	37.2	21.5	42.9	20.7	11.1	35.7	0
24-04-2025	Marh	0	37.2	20.8	38.5	19.4	9.2	38.6	2
25-04-2025	Marh	0	37.9	21	33.6	18.9	10.1	34.8	1
26-04-2025	Marh	0.1	38.6	22.2	31.7	18.6	11.3	37.2	3
27-04-2025	Marh	0.1	37.5	22.7	34.9	22.4	10	30.2	4
23-04-2025	Mathwar	0	37.9	21.9	43.2	20.5	10.4	33.7	0
24-04-2025	Mathwar	0	37.8	21.1	38.3	19.3	8.2	37.8	2
25-04-2025	Mathwar	0	38.5	21.4	33.3	18.7	9.2	30.5	1
26-04-2025	Mathwar	0.1	39.1	22.9	31.5	18.4	10.3	36.4	2
27-04-2025	Mathwar	0.1	38.2	23.2	34.4	22.2	9.5	29.4	4
23-04-2025	Miran-Sahib	0	37.9	21.9	42.8	20.4	10.4	33.7	0
24-04-2025	Miran-Sahib	0	37.8	21.1	38.2	19.2	8.2	37.8	2
25-04-2025	Miran-Sahib	0	38.5	21.4	33.2	18.7	9.2	30.5	1
26-04-2025	Miran-Sahib	0.1	39.1	22.9	31.3	18.2	10	37.7	2
27-04-2025	Miran-Sahib	0.1	38.2	23.2	34.4	21.8	8.6	22.2	4
23-04-2025	Nagrota	0	37	21.2	43.3	20.8	12	38.9	0
24-04-2025	Nagrota	0	36.9	20.4	38.3	19.5	10	40.6	2
25-04-2025	Nagrota	0	37.6	20.8	33.5	19	11	38.3	1
26-04-2025	Nagrota	0.1	38.2	22.1	31.8	18.7	12.5	41.5	2
27-04-2025	Nagrota	0.1	37.2	22.2	35.1	22.8	11.3	37.2	4
23-04-2025	Pragwal	0	38	21.2	40	21	7	21.2	0
24-04-2025	Pragwal	0	38.1	20.7	33.6	19.4	6.3	23.6	2
25-04-2025	Pragwal	0	38.5	20.8	32.9	19	6.8	25.2	1
26-04-2025	Pragwal	0.1	39.1	21.9	32.5	18.6	7.1	30.4	3
27-04-2025	Pragwal	0.1	38.4	22.1	36.1	22.4	7.2	26.5	4
23-04-2025	R.S.Pura	0	37.9	21.9	43.2	20.5	10.4	33.7	0
24-04-2025	R.S.Pura	0	37.8	21.1	38.3	19.3	8.2	37.8	2
25-04-2025	R.S.Pura	0	38.5	21.4	33.3	18.7	9.2	30.5	1
26-04-2025	R.S.Pura	0.1	39.1	22.9	31.5	18.4	10	37.7	2
27-04-2025	R.S.Pura	0.1	38.2	23.2	34.4	22.2	8.6	22.2	4
23-04-2025	Samwan	0	37.9	21.9	43.2	20.5	10.4	33.7	0
24-04-2025	Samwan	0	37.8	21.1	38.3	19.3	8.2	37.8	2



## Agromet Advisory Bulletin for Sub Tropical Conditions of Jammu Region Issued Jointly by Sher-e-Kashmir University of Agricultural Sciences & Technology Jammu and India Meteorological Department



Agromet Research Centre, SKUAST-Jammu, Chatha-180009 email:jmu.agrimet@gmail.com

25-04-2025	Samwan	0	38.5	21.4	33.3	18.7	9.2	30.5	1
26-04-2025	Samwan	0.1	39.1	22.9	31.5	18.4	10.3	36.4	2
27-04-2025	Samwan	0.1	38.2	23.2	34.4	22.2	9.5	29.4	4
23-04-2025	Satwari	0	37.9	21.9	43.2	20.5	10.4	33.7	0
24-04-2025	Satwari	0	37.8	21.1	38.3	19.3	8.2	37.8	2
25-04-2025	Satwari	0	38.5	21.4	33.3	18.7	9.2	30.5	1
26-04-2025	Satwari	0.1	39.1	22.9	31.5	18.4	10	37.7	2
27-04-2025	Satwari	0.1	38.2	23.2	34.4	22.2	8.6	22.2	4
23-04-2025	Suchetgarh	0	37.9	21.9	43.2	20.5	10.4	33.7	0
24-04-2025	Suchetgarh	0	37.8	21.1	38.3	19.3	8.2	37.8	2
25-04-2025	Suchetgarh	0	38.5	21.4	33.3	18.7	9.2	30.5	1
26-04-2025	Suchetgarh	0.1	39.1	22.9	31.5	18.4	10	37.7	2
27-04-2025	Suchetgarh	0.1	38.2	23.2	34.4	22.2	8.6	22.2	4

<sup>\*</sup> Apply fertilizers and plant protection measures during clear weather only.

Dr Mahender Singh I/C Agrometeorology

Dr Veena Sharma Technical Officer